# SAKAI 20 ADMINISTRATOR GUIDE (ENGLISH)

# **Table of Contents**

Academic Term Manager	/
What is the Academic Term Manager?	8
How do I add a new term?	9
How do I edit an academic term?	12
Admin Site Perms	15
What is the Admin Site Perms tool?	16
How do I add site role permissions for all sites?	17
How do I remove site role permissions for all sites?	19
Aliases	21
What are Aliases?	22
How do I add an alias?	23
How do I delete an alias?	28
Announcements (or Message of the Day)	30
What is the admin Announcements tool or Message of the Day (MOTD)?	31
How do I add an MOTD announcement?	33
How do l edit an MOTD announcement?	38
How do I delete an MOTD announcement?	40
How do I reorder MOTD announcements?	42
How do I configure MOTD announcement options?	45
Become User	47
What is Become User?	48
How do I log in as another user?	49
How do I view user info?	50
Delegated Access	52
What is Delegated Access?	53
How do I let a non-admin manage delegated access?	55
How do I let a non-admin manage shopping period access?	58
How do I delegate site access to a user?	61
How do I edit user permissions in Delegated Access?	66
How do I remove user permissions in Delegated Access?	68

How do I search users in Delegated Access?	70
How do I access a site via delegated access?	73
How do I set a shopping period?	75
Email Templates	79
What is the Email Templates tool?	80
How do I edit an email template?	82
How do I add a new email template?	84
Events	87
What are the Test and Quizzes user events logged by the system?	88
External Tools	91
What are External Tools?	92
How do I make an LTI tool available to site owners?	93
How do I view currently installed LTI 1.1 tools in the system?	102
How do I add an LTI tool to a site as an admin?	103
Job Scheduler	106
What is the Job Scheduler?	107
How do I view the event log?	108
How do I filter events?	109
How do I view jobs?	111
How do I schedule a new job?	112
How do I create cron expressions?	118
How do I delete a job?	121
How do I view running jobs?	123
How do I purge softly deleted sites?	124
Memory	131
What is the admin Memory tool?	132
How do I view Memory Status?	133
How do I locate maxed out caches?	135
How do I reset all caches?	137
How do I evict expired members?	138
Message Bundle Manager	139

	What is the Message Bundle Manager tool?	140
	How do I find the number of modified messages in the system?	141
	How do I search system messages?	142
	How do I view system messages by module?	145
	How do I customize a default system message?	149
	How do I view and edit modified messages in the system?	152
	How do I delete a modified message and revert back to the default value?	154
Onli	ne	157
	What is the Online tool?	158
	How do I view active servers?	159
	How do I view user locations?	160
	How do I view active sessions?	161
	How do I refresh location, session, and server data?	162
PA S	System	163
	What is the PA System?	164
	How do I create a banner system message?	165
	How do I edit a banner system message?	168
	How do I delete a banner system message?	172
	How do I create a popup system message?	175
	How do I edit an existing popup system message?	179
	How do I delete a popup system message?	183
Perr	nissions and Roles	186
	What are Permissions and Roles?	187
	How do I change participant roles within a site?	189
Real	lms	191
	What are Realms?	192
	How do I search Realms?	194
	How do I modify an existing role within a Realm?	196
	How do I create a new, or custom role within a Realm?	200
	What do the various realms in Sakai do?	205
Reso	ources	207
	What Resources are specific to admin users?	
	,	

Search	210
Search Administration	211
Site Archive	214
What is the Site Archive tool?	215
How do l export/archive an individual site?	216
How do I batch export or archive multiple sites?	219
How do I download archive files?	222
How do I import an individual site archive?	223
How do I batch import multiple site archives?	226
Sites	228
What is the Sites tool?	229
How do I search for a site using the Sites tool?	230
How do I add a site using the Sites tool?	232
How do I edit a site using the Sites tool?	235
How do I Soft Delete a site from the Sites tool?	238
How do I add a stealthed tool to a site?	240
Sitestats Admin	246
What is Sitestats Admin?	247
How do I view reports for a specific site?	248
How do I create predefined reports available throughout the system?	251
How do I view server-wide reports?	253
Users	255
What is the Users tool?	256
How do I add a new account?	257
How do I create multiple new user accounts by importing a file?	259
How do I search for a user account?	264
How do I edit a user account?	267
How do I disable a user account?	270
How do I remove a user account?	273
User Membership	277
What is User Membership?	

	How do l search for an account in User Membership?	.279
	How do I filter search results in User Membership?	.283
	How do I export search results from User Membership?	.288
	How do I make a user inactive in multiple sites?	.292
	How do I make a user active in multiple sites?	.298
Work	site Setup	.304
	What is Worksite Setup?	.305
	How does Worksite Setup differ for admin users?	.306
	How do I define the default set of tools added to site on site creation?	.307
	How are sites deleted?	.309
	How do I Soft Delete a site from Worksite Setup?	.310
	How do I restore a softly deleted site?	.312
	How do I Hard Delete a site?	.314




# What is the Academic Term Manager?

The Academic Term Manager allows system administrators to create and edit the academic terms, or semesters, in the UI. (Terms may also be managed via the database, but this requires db access.) Sakai sites are associated with academic terms and this determines how they are listed in users' site lists. Terms also help administrators select and manage site archives and other functions which can be performed on the basis of the current or selected term.


Note: Academic terms may be added or edited using this tool. However, you cannot delete terms in this interface. To delete a term, you must delete it in the database.

# To access this tool, select Admin Site Perms from the Tool Menu in the Administration Workspace.




# How do I add a new term?

# Go to Academic Term Manager.




Select the Academic Term Manager tool from the Tool Menu in the Administration Workspace.

### The list of currently available terms will show at the top of the screen.




### Enter the new term information, and then click Add.




- 1. The **E-id** should be a unique identifier to designate the term.
- 2. The **Title** is what will appear to users in their list of sites. Sites will be grouped under each term title.
- 3. The **Start Date** is the first day of the term or semester.
- 4. The **End Date** is the last day of the term or semester.
- 5. The **Description** allows you to enter more information about the term if needed.
- 6. Check the **Current** box if the term you are adding is currently in session.
- 7. Click **Add** to complete the addition of the new academic term.

# The new term will now appear in the list.




# How do I edit an academic term?

# Go to Academic Term Manager.




Select the **Academic Term Manager** tool from the Tool Menu in the Administration Workspace.

# Select the term you would like to edit.




# Update the term information, and then click Save Changes.



- 1. The **E-id** is the unique identifier to designate the term.
- 2. The **Title** is what will appear to users in their list of sites. Sites will be grouped under each term title.
- 3. The **Start Date** is the first day of the term or semester.
- 4. The **End Date** is the last day of the term or semester.
- 5. The **Description** allows you to enter more information about the term if needed.
- 6. Check the **Current** box if the term you are adding is currently in session.
- 7. Click **Save Changes** to complete your edit.

# The updated academic term information will now display.



# **Admin Site Perms**

# What is the Admin Site Perms tool?

The Admin Site Perms tool allows admin users to add or remove permissions across all sites for specified roles. If you would like to modify the permissions for existing roles in your instance, this tool makes it easy to implement the change system-wide.

# To access this tool, select Admin Site Perms from the Tool Menu in the Administration Workspace.




# How do I add site role permissions for all sites?

#### Go to Admin Site Perms.



Select the **Admin Site Perms** tool from the Tool Menu in the Administration Workspace.

### Select the site type, role, and permissions to be added.



Note: You must select at least one site type, role, and permission.

# **Click Add Permissions.**



Scroll to the bottom of the page and click the **Add Permissions** button to save your changes.


# How do I remove site role permissions for all sites?

#### Go to Admin Site Perms.



Select the **Admin Site Perms** tool from the Tool Menu in the Administration Workspace.

# Select the site type, role, and permissions to be removed.



Note: You must select at least one site type, role, and permission.

# **Click Remove Permissions.**



Scroll to the bottom of the page and click the **Remove Permissions** button to save your changes.

# **Aliases**

# What are Aliases?

The Alias service supports the mapping of alias strings to a target. This is useful when things like sites have a long, cryptic name (such as a GUID).

For example, a Sakai alias can be used instead of the site id when emailing to the site **test@sakai.edu** rather than **6ade75f9-aeef-4338-80ae-62e391045975@sakai.edu**.

It can also be used in place of the site id for access URLs, such as /access/content/group/test instead of /access/content/group/6ade75f9-aeef-4338-80ae-62e391045975.

The Aliases admin tool provides methods to get the target of aliases in the system, create new ones, edit them and delete them.

# To access this tool, select Aliases from the Tool Menu in the Administration Workspace.



# How do I add an alias?

Aliases may be added in several ways: using the Aliases tool, when creating or editing a site in Sites, or when adding the Email Archive tool. All existing aliases in the system will appear listed in the Aliases tool, regardless of how they were added.

# Adding an alias from the Aliases tool.



Select the **Aliases** tool from the Tool Menu in the Administration Workspace.

#### Click New Alias.



### Enter the alias and its target.



Enter the alias you would like to create, as well as the target site for which it will be used. Then click **Save**.

For example, to create an alias named coursereview for a site with a site id of 5b82bd8e-de65-4536-9567-90b58813cead, you would enter:

- Alias = coursereview
- Target = /site/5b82bd8e-de65-4536-9567-90b58813cead

# Creating an alias from the Sites tool.




Select the **Sites** tool from the Tool Menu in the Administration Workspace.

#### Select a site to edit.



Select either **New site** or click on the site id link for an existing site to edit.

#### Enter the alias.



When creating or editing a site, you have the option to enter an alias in the Site URL Alias field provided.

# Creating an email alias for the Email Archive tool within a site.


When the Email Archive tool is added to a site, the site manager is prompted to enter an alias that will serve as the email archive address.

#### Go to Site Info.




Select the **Site Info** tool from the Tool Menu within your site.

### **Click Manage Tools.**



#### Select the Email Archive tool.



#### Scroll down and click Continue.



#### Enter the email alias and click Continue.

#### **Customize tool instances**

You can make configuration adjustments later using the configuration capabilities for each tool.

#### **Email Archive**




# How do I delete an alias?

#### Go to the Aliases tool.




Select the **Aliases** tool from the Tool Menu in the Administration Workspace.

#### Click on the alias you would like delete.



#### Click Remove Alias.



#### Confirm alias removal.



Click **Remove** again when prompted to confirm the deletion of the alias.


# Announcements (or Message of the Day)

# What is the admin Announcements tool or Message of the Day (MOTD)?


On the Gateway login page and in the Home user landing page upon login, you will see announcements from your system administrator displayed as the "Message of the Day" (MOTD). The MOTD is typically used for system-wide announcements to inform users about upcoming events or important information.

System administrators access the MOTD functions using the Announcements tool in the Administration Workspace.


### View the MOTD on Gateway login page.



#### View the MOTD in Home.




# To access this tool, select Announcements from the Tool Menu in the Administration Workspace. (Admin users only)




# How do I add an MOTD announcement?

#### Go to Announcements.




Select the **Announcements** tool from the Tool Menu in the Administration Workspace.

#### Click Add.



### Title your announcement and add content.



Give your announcement a title, and then enter the content of the announcement into the rich text editor. You may use the formatting options in the editor to modify the font size or color, add images or links, or embed other content.

#### Access.

By default, all MOTD announcements are publicly viewable. This option cannot be changed.

# Select when the announcement will be displayed.

#### Availability

- Show (Post and display this announcement immediately)
- Hide (Draft mode Do not display this announcement at this time)
- O Specify Dates (Choose when this announcement will be displayed)

By default, the announcement is displayed immediately upon posting. You can also choose to hide it (saving as a draft until you are ready to post it), or you may specify dates when the announcement will be available.


### **Select availability dates. (Optional)**

Availability

,	
Show - ( <b>Post</b> a	nd display this announcement immediately)
O Hide - ( <b>Draft n</b>	node - Do not display this announcement at this time
Specify Dates -	(Choose when this announcement will be displayed)
Beginning	<b>Date:</b> 04/20/2020 04:35 pm
Ending	<b>Date:</b> 04/27/2020 04:35 pm


If you want the announcement to display during a specific time frame, choose **Specify Dates**. Select the box beside **Beginning** and/or **Ending** and click the calendar icon to insert the properly formatted date and time when the announcement will begin and/or end.

#### Use calendar icon to insert date and time.



Click the date on the calendar, and use the sliders to select the time. Then click **Done**.

# Add attachments. (Optional)



Click the Add Attachments button.


Note: Remember that if you include any attachments, the item must be in a publicly accessible location in order for users to be able to view the attachment. See <u>What Resources are specific to admin users?</u> for more information.

## **Click Post Announcement.**




## How do I edit an MOTD announcement?

#### Go to Announcements.




Select the **Announcements** tool from the Tool Menu of the Administration Workspace.

#### Click Edit.




Click the **Edit** link below the announcement you want to modify.

#### Edit the announcement.



## (Optional) View Revision History.



If you would like to see information about previous revisions of this announcement, click the **See revision history** link.


## **Click Save Changes.**



When you have finished your edits, click the **Save Changes** button to save your work.


## How do I delete an MOTD announcement?

#### Go to Announcements.




Select the **Announcements** tool from the Tool Menu in the Administration Workspace.

#### Select the announcement.




Select the check box in the "Remove?" column for the announcement you would like to delete.

#### Click Remove.




## Click Remove again.



Click the **Remove** button to confirm deletion.

## **How do I reorder MOTD announcements?**

#### Go to Announcements.




Select the **Announcements** tool from the Tool Menu in the Administration Workspace.

#### Click Reorder.



#### Drag and drop to re-order announcements.



The announcement that you have selected will be green until it is dropped in its new location. It will turn blue for a few seconds before it reverts to the default gray color.

#### **Auto-Sort Options.**




There are also three options that allow you to auto-sort the Announcements:

- 1. Sort by subject orders the announcements in alphabetical order according to the subject line
- 2. Sort by author orders the announcements in alphabetical order according to the author of the announcement
- 3. Sort by beginning date orders the announcements by their beginning date (for announcement which specify specific dates)
- 4. Sort by ending date orders the announcements by their ending date (for announcement which specify specific dates)
- 5. Sort by modified date orders the announcements in order based the creation (or most recent modification) date.

When you click the columns heading link, an icon appears beside it showing if the list is sorted smallest to largest, or largest to smallest. In the above illustration, the announcements are sorted by subject in A - Z order. If the subject heading is clicked again, the icon will point down showing that sort order has changed to Z - A.


## Click Update.



Once you have placed the announcements into the desired order, click the **Update** button to save.

# How do I configure MOTD announcement options?

#### Go to Announcements.




Select the **Announcements** tool from the Tool Menu in the Administration Workspace.

## **Click Options.**



## Display options.



These display options control the table/list view settings for the admin user when editing announcements.

## **RSS Feed Options.**

## RSS Feed Options public announcements only RSS Alias (40 chars max) RSS URL https://qa20-mysql.nightly.sakaiproject.org/access/announcement/rss/ladmin If you would like to subscribe to an RSS feed containing all the public announcements for this site, you may use the URL listed here to subscribe. You may also specify an RSS Alias to make the URL easier to remember. **Display Limits. Display Limits** Number of days in the past Number of announcements The display limits entered here control the default display limits for all users in the system. Individual users may override the default settings if they choose. Click Update. **UPDATE** Cancel Once you have completed your option settings, click the **Update** button to save.


## **Become User**

### What is Become User?

The Become User tool is an administrative tool to allow a user to log in as another user without needing a password. Logging in as another user is useful for support situations, since you'll be able to see the system from the point of view of that user.


When you log out after using the Become User tool to impersonate/masquerade as a user, you will automatically revert back to your admin account.

## To access this tool, select Become User from the Tool Menu in the Administration Workspace.



## How do I log in as another user?

#### Go to the Become User tool.



Select **Become User** in the Administration Workspace Tool Menu.

#### Enter a user id and click Become user.



Enter the user id for the user you would like to log in as, and then click the **BECOME USER** button.

## How do I view user info?

#### Go to the Become User tool.



Select **Become User** in the Administration Workspace Tool Menu.

#### Enter a user id and click View user info.



Enter the user id for the user you would like to log in as, and then click the **View user info** button.

#### User info will be displayed.

#### **BECOME USER**

Enter a user id below and click "Become user" to login as that user.

#### **User Information**

Name: Sample User

Email: sampleuser@school.edu

User Id: 123456789

Internal Id: e4cf2148-7c48-4f90-a616-557bf16d0a2f

Type: guest

Created: March 25, 2020 8:56:21 AM EDT

**User Id:** 123456789

BECOME USER View user info

The user's name, email, user id, internal id, type, and account creation date will be displayed.

## **Delegated Access**

## What is Delegated Access?

The delegated access tool controls both delegating access to users outside of the site membership realm as well as setting up and controlling site shopping period information. It is most easily described by breaking it down into two related functions: "Delegated Access" and "Shopping Period."

#### **Delegated Access:**

The delegated access tool has five primary functions:

- 1. Provide a friendly interface for administrators to delegated user access to specific sites or department levels.
- 2. Provide a friendly interface for administrators to delegated shopping period admin privileges for users at the site or departments level.
- 3. Provide a friendly interface for delegated users to view, search and access their delegated sites.
- 4. Provide a friendly interface for delegated shopping period admins to adjust shopping period data within their scope of privileges.
- 5. Allow a user, that has been granted access to sites, to use the direct URL for the site to access it.

The delegated access tool allows administrators to search for users and delegate site, role, and shopping period admin access. It also allows you to select specific tools the user should not have access to.

The easiest way to think of how the tool works is liking it to the Role Swap feature in Sakai. Instead of just swapping the role, you can specify the realm and role the user will receive for that particular site or node in the hierarchy. All child nodes will inherit the parent settings unless overridden.


#### **Shopping Period:**

The shopping period tool is just a special use case of the Delegated Access Tool from the perspective of shopping consumer. In another words, it treats the .anon or .auth role as a delegated user and then can determine what role that user will inherit when he or she enters a site. There are three user cases that the shopping period section handles:

1. **Administrator:** When a user that has been granted shopping period administrative privileges goes into the delegated access tool, they will see a link for "Shopping Period Admin". Here they can modify what role a .anon or .auth (public/logged in) user will

- inherit when they enter. They can also choose which tools are open as well as the open and close date for the shopping period for that site or department.
- 2. **Instructor:** If you enable the instructor to override shopping settings, then the instructor will have an interface in the "Site Info" tool under the link "Manage Access" where he/she can modify their course's shopping settings. This allows an instructor to opt in or out of the shopping period.
- 3. **Shopper:** When a user that wants to shop for a particular site goes to the Shopping Period tool, they will see a node structure and a search box to look for a particular site they want to test out. This tool, for example, can be added to Sakai's !Gateway site so unauthorized users can view it. When the user finds the site they want, they just click the link and go to the site.

## To access this tool, select Delegated Access from the Tool Menu in the Administration Workspace.




You may also see the Delegated Access tool in the Home Tool Menu if it has been added to your user account.

## How do I let a non-admin manage delegated access?


You may want to let a non-admin user manage delegated access for other users. To do so, you can add this capability to the Delegated Access tool you make available in the non-admin user's Home area.

#### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu in the Administration Workspace.


#### Find and select user



- 1. Click the Search by User button\*
- 2. Enter the user name or user ID and click **Submit** (or hit "enter" key).
- 3. Click the **Edit** link for the user.

Tip: You can also search for a user by clicking the **Search by Access** button. See <u>How do I search</u> <u>users in Delegated Access?</u>


## **Expand hierarchy nodes.**



If you want to provide the user with admin capability for all hierarchy nodes, you can skip this step. Otherwise, click the **Expand All Nodes** link (or click the root node). Continue expanding nodes to access the appropriate node.

Note: Settings you select for a node will apply to all its "child" (lower-level) nodes, but not to any other nodes at the same level in the hierarchy. You can always override settings that a lower-level node inherits from a higher node.

## Set admin capability.



For a particular node, check **Access Admin**.

## **Save settings**




Click **Save**. A "Successfully saved" message displays.

If the user has no previous delegated access permissions enabled, the *Delegated Access* tool gets added to the user's My Workspace. In the tool, the user will see *Search by User* and *Search by Access* buttons for managing delegated access for other users.

# How do I let a non-admin manage shopping period access?

You may want to let a non-admin user manage shopping period access for other users. To do so, you can add this capability to the Delegated Access tool you make available in the non-admin user's Home area.

### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu of the Administration Workspace or in your own Home area.


#### Find and select user



- Click the Search by User button\*
- 2. Enter the user name or user ID and click **Submit** (or hit "enter" key).
- 3. Click the **Edit** link for the user.

Tip: You can also search for a user by clicking the **Search by Access** button. See <u>How do I search users in Delegated Access?</u>


## **Expand hierarchy nodes.**



If you want to provide the user with admin capability for all hierarchy nodes, you can skip this step. Otherwise, click the **Expand All Nodes** link (or click the root node). Continue expanding nodes to access the appropriate node.

Note: Settings you select for a node will apply to all its "child" (lower-level) nodes, but not to any other nodes at the same level in the hierarchy. You can always override settings that a lower-level node inherits from a higher node.

## Set shopping admin capability.



For a particular node, check **Shopping Admin**.

## Save settings.




Click **Save**. A "Successfully saved" message displays.

If the user has no previous delegated access permissions enabled, the *Delegated Access* tool gets added to the user's My Workspace. In the tool, the user will see *Shopping Admin* and *Shopping List* buttons for managing shopping period access for other users.

## How do I delegate site access to a user?

### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu of the Administration Workspace or in your own Home area.


#### Find and select user



- 1. Click the Search by User button\*
- 2. Enter the user name or user ID and click **Submit** (or hit "enter" key).
- 3. Click the **Edit** link for the user.

Tip: You can also search for a user by clicking the **Search by Access** button. See <u>How do I search users in Delegated Access?</u>


## **Expand hierarchy nodes.**



If you want to provide the user with admin capability for all hierarchy nodes, you can skip this step. Otherwise, click the **Expand All Nodes** link (or click the root node). Continue expanding nodes to access the appropriate node.

Note: Settings you select for a node will apply to all its "child" (lower-level) nodes, but not to any other nodes at the same level in the hierarchy. You can always override settings that a lower-level node inherits from a higher node.


#### Set access and role



For a particular node:


- 1. Check **Site Access**.
- 2. Select a role from the *User Becomes* menu. The user will have the permissions for the selected role when accessing sites.

### **Set tool restrictions. (Optional)**




If you would like to restrict access to specific tools within a node or site, click **Restricted Tools**.

#### Select the tool/s you want to restrict, then click Done.




#### **Add Become User tool. (Optional)**



If you would like to enable access to the *Become User* tool, click **Advanced**.

#### **Enable Become User tool, then click Done.**



In the window that displays, enable the **Allow user to use Become User tool for users in the these sites** setting. Then, click **Done**. The Become User tool will be added to the user's system landing page.

Note: The Become User tool will only function for the sites to which the user has been granted access.

## **Save settings**




Click **Save**. A "Successfully saved" message displays.

If the user has no previous delegated access permissions enabled, the *Delegated Access* tool gets added to the user's My Workspace, along with *Become User* if you also enabled access to that tool.

## How do I edit user permissions in Delegated Access?

#### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu of the Administration Workspace or in your own Home area.


#### Find and select user



- 1. Click the **Search by User** button\*
- 2. Enter the user name or user ID and click **Submit** (or hit "enter" key).
- 3. Click the **Edit** link for the user.

Tip: You can also search for a user by clicking the **Search by Access** button. See <u>How do I search users in Delegated Access?</u>

## **Expand hierarchy nodes.**



If you want to edit user permissions that apply to all sites in your Sakai instance, you can skip this step. Otherwise, click the **Expand All Nodes** link (or click the root node). Continue expanding nodes to access the appropriate node(s).

Note: Settings you select for a node will apply to all its "child" (lower-level) nodes, but not to any other nodes at the same level in the hierarchy. You can always override settings that a lower-level node inherits from a higher node.

#### Edit permissions.

For the appropriate node(s), make changes as appropriate.

#### Save changes.



Click **Save**. A "Successfully saved" message displays.

# How do I remove user permissions in Delegated Access?

#### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu of the Administration Workspace or in your own Home area.


#### Find and select user



- Click the Search by User button\*
- 2. Enter the user name or user ID and click **Submit** (or hit "enter" key).
- 3. Click the View Access link for the user.

Tip: You can also search for a user by clicking the **Search by Access** button. See <u>How do I search users in Delegated Access?</u>

## **Remove permissions**



Click Remove All Permissions to remove access permissions for all hierarchy nodes.

Or, click the **Remove** link for a particular hierarchy node to remove access permissions for that node.

#### **Confirm removal**



You will see a dialog box confirming the permission(s) removal.


To continue with removal, click the **OK** button.

## How do I search users in Delegated Access?

In the Delegated Access tool, you can search for any user in your Sakai instance, so you can then add, edit, or remove access permissions for a particular user. There are two ways to search for users:

- Search by user--search by user name or user ID
- **Search by hierarchy**--search all users by access permissions for particular hierarchy nodes

### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu of the Administration Workspace or in your own Home area.

#### Search by user.



- 1. Click the **Search by User** button.
- 2. Enter a user name, user ID, or email address. Click **Submit Query** or hit "enter" key.

Tip: Alternatively, click the **Search by Access** button and then select **user id**. Enter the user ID (user name will not yield results). Click **Submit Query** or hit the "enter" key.

#### View user settings.

#### DA Test Edit | Remove All Permissions

Туре	Access	Restricted Tools	Level	Hierarchy	
Access	!site.template.lti:Faculty		School	-Sakai  EDUCATION	Remove
Access	!site.template.course:Instructor		Subject	-Sakai  MUSIC  DEPT1  SUBJ1	Remove
Shopping Admin			School	-Sakai  MUSIC	Remove
Access Admin			School	-Sakai  MUSIC	Remove


To view all access settings for a user you have searched for, click the **View Access** link for that user.

#### Search by hierarchy.



- 1. Click **Search by Access**.
- 2. Select **hierarchy** (default selection).
- 3. Drill down to specific hierarchy node levels, as appropriate. With each hierarchy node you select, another menu displays for selecting that node's "child" nodes. Check the box for **Include lower levels** to view all child nodes for a particular node.
- 4. Click **Submit**.

#### View access by hierarchy




Your search results will include the following information:

- 1. User ID
- 2. User name
- 3. Type of access permission (Access Admin, Shopping Admin, Site Access)
- 4. Site role when accessing site
- 5. Restricted tools when accessing site
- 6. Hierarchy node level for access permission
- 7. All parent hierarchy nodes
- 8. Links for viewing, editing, removing access permissions

#### How do I access a site via delegated access?

#### Go to Delegated Access tool.



Select **Delegated Access** from the Tool Menu.


#### Find site.

You can find a site in two ways:

- 1. Search by site, user, or term
- 2. Expand hierarchy nodes

Note: You must have Admin or Site Access in order to see this option.


#### Search for the site.



If you have a large number of sites, you may want to search for the specific site. You may search by site, user, term, school, department, or subject.

After providing search information for the desired site, click **Submit**.

#### **Expand hierarchy nodes.**



You may also expand the appropriate hierarchy nodes to locate the site in the list manually.


#### **Access site**

Once you have found the appropriate site, click on it. The site will open in a new tab/window.

Note: The tools and capabilities available to you in a site will depend on how your particular delegated access has been configured. For more information, see <u>How do I delegate site access to a user?</u>


#### How do I set a shopping period?

#### **Go to Delegated Access tool**



Select the **Delegated Access** too from the Tool Menu.

#### Go to shopping period settings




Click the **Shopping Admin** button.

Note: You must have Shopping Admin access in order to see this option.

#### Select hierarchy nodes

**Edit Shopping Period Settings** 




Click on the root node and continue expanding nodes to select the appropriate node(s) and/or site(s). If you want to configure a single shopping period for all sites in your Sakai instance, you can skip this step.

#### **Important Notes:**


- Settings you select for a node will apply to all its "child" (lower-level) nodes, but not to any other nodes at the same level in the hierarchy. You can always override settings that a lower-level node inherits from a higher node.
- While you can select multiple nodes and sites, you will have to configure a shopping period for each node/site separately.
- Keep in mind that you can only choose a single site role for a particular node. Be sure to confirm that all sites in a node include the role you select.

#### Set shopping role and duration




- 1. Choose site role for shoppers.
- 2. Provide start/end date.

#### Set tool access



- 1. Click the **Show Tools** link for the shopping period.
- Select the appropriate tool(s) for non-authorized ("Public") and/or authorized ("Logged In") users.
- 3. Click Done.

#### Set advanced options



Optionally, set advanced options for the shopping period.

- 1. Click the **Advanced** link for the shopping period.
- 2. Select **Disable Instructor Override** to prevent a site maintainer from overriding shopping period access for a site.
- 3. Select **Disable "Public" option** to prevent a site maintainer from making a site public.
- 4. Click Done.

#### Save your work



Once you have configured all settings, click Save.


## **Email Templates**

#### What is the Email Templates tool?

The Email Templates tool is an administrative tool for providing localized and internationalized email templates for Sakai Applications. It allows admin users to create customized email notifications for users in their local instance.

For example, if your institution has modified the name of Sakai to a different local system name (i.e. UVaCollab, Isidore, etc.) you may modify the existing email templates to use your local system name and inform users about institution-specific resources.

#### Go to the Email Templates tool.



Select the **Email Templates** tool from the Administration Workspace Tool Menu.

#### View existing template keys and locales.



A listing of all existing template keys and locales will be displayed.

1. The **template key** is typically defined by the tools that have email templates in the system. You may see multiple template keys for different locales.

2. The **locale** of a template typically refers to the language, or language+region, of the message. It may also refer to a custom local instance.


#### **Example Custom Template**

UCT sitemange.notifyAddedParticipant \${productionSiteName} Site Notification: \${siteName} Body: Dear \${userName}, You have been added to the following \${localSakaiName} site: \${siteName} by \${currentUserName} (\${currentUserEmail}). To go to this site, login to \${localSakaiName} at \${localSakaiUrl} with your username (\${userEid}) and password. You can then access the site by clicking on the site name, which appears as a tab in a row across the top part of the page, or by clicking on "My Active Sites" on the top right. If you cannot login to \${localSakaiName}, please see http://vula.uct.ac.za/password/ for details on how to reset your password. If you have any further questions about \${localSakaiName} or how to access this site, please feel free to contact the \${localSakaiName} helpdesk by replying to this email or emailing help@vula.uct.ac.za. Online help is also available by clicking on the Help link in any page. The Vula Team, University of Cape Town

The image above shows an example of a custom template. To view this example and others on Confluence, go to: <a href="https://confluence.sakaiproject.org/display/ETS/example+templates">https://confluence.sakaiproject.org/display/ETS/example+templates</a>

#### How do I edit an email template?

#### Go to the Email Templates tool.




Select the **Email Templates** tool from the Administration Workspace Tool Menu.

## Select the Edit link for the template you would like to modify.



#### Edit the template as needed.



- 1. Edit the email template as needed.
- 2. Click the **Save Changes** button to save your modifications.

Note: The following values may be substituted for real values in the system:

\${localSakaiName} - the local title of the Course Management System (e.g., CamTools, CTools)

\${currentUserEmail} - current user's email address

\${currentUserFirstName} - current user's first name

\${currentUserLastName} - current user's last name


\${currentUserDisplayName} - current user's display name

\${currentUserDisplayId} - current user's user id

#### How do I add a new email template?


Note: Tools must already be configured to use the template service in order to be added here. You may add additional templates for existing keys using this tool. However, adding new template keys to the system would require custom code development.

#### Go to the Email Templates tool.




Select the **Email Templates** tool from the Administration Workspace Tool Menu.

#### Click New template.



## Enter template information into the fields provided and Save.



Enter the email template information into the blank text fields provided.

- 1. The **Subject** will be the subject line of the email message received by end users.
- 2. The **From** line will indicate the sender of the email message.
- 3. The **Key** is one of the template keys already defined in the system. View the list of existing templates to see the current keys available.
- 4. The **Locale** typically indicates the language of the system. This is usually a two-letter code for a language, or sometimes the extended syntax for a language+region. Refer to the list of standard W3C language tags at the following link for more information: <a href="http://www.w3.org/lnternational/articles/language-tags/">http://www.w3.org/lnternational/articles/language-tags/</a>
- 5. The **Plain Text** field is where you enter the text of your message.
- 6. You may also provide an **HTML Text** version of the message if desired. This allows you to include additional formatting for the body of the message.
- 7. Click **Save Changes** when complete.

Note: Remember that you may use the following items to substitute for real values in the system:

\${localSakaiName} - the local title of the Course Management System (e.g., CamTools, CTools)

\${currentUserEmail} - current user's email address

\${currentUserFirstName} - current user's first name

\${currentUserLastName} - current user's last name

\${currentUserDisplayName} - current user's display name
\${currentUserDisplayId} - current user's user id

### **Events**

# What are the Test and Quizzes user events logged by the system?

#### **Tests & Quizzes (Samigo)**

Samigo logs events associated with the following activities:

- 1. Accessing and Taking Assessments
- 2. Submitting Assessments
- 3. Reviewing Feedback

#### **Accessing and Taking Assessments**

Event	What the event means
sam.assessment.take	The user accesses the assessment and selects the <b>Begin Assessment</b> button.
sam.assessment.take.via_url	The user accesses the assessment via a link, e.g., the <i>Published Assessment URL</i> or a link on a <i>Lessons</i> page, and selects the <b>Begin Assessment</b> button.
SAMIGO_TIMED_ASSESSMENT:QUEUE:NEWTIMER:SUCCESS	A timer thread starts running on the server at the start of a timed assessment.
sam.assessment.resume	The user exits the assessment, returns to it, and selects the <b>Continue Assessment</b> button. <b>NOTE:</b> This event will NOT display for assessments accessed VIA URL - the ONLY button on that screen is <b>Begin Assessment</b> . All attempts to access an assessment via a URL will be logged as if they were new takes.

Event	What the event means
Post buffer bypass CTI=sakai.samigo [] getTimerStrings?_=[timervalue]	A timed assessment is open in a browser window and the browser is getting the time remaining (happens every few seconds, so lots of these events spam the logs while a user has an assessment open).

#### **Submitting Assessments**

Event	What the event means
sam.submit.from_toc	The user is on the <b>Table of Contents</b> screen and selects the <b>Submit for Grading</b> button. So now, the user would be on the <i>Assessment Submission Warning</i> page. They still have the <b>Submit for Grading</b> and <b>Previous</b> buttons available to them. They did not officially submit yet.
sam.submit.from_last_page	The user is on last page of the assessment and selects the <b>Submit for Grading</b> button. So now, the user would be on the <i>Assessment Submission Warning</i> page. They still have the <b>Submit for Grading</b> and <b>Previous</b> buttons available to them. They did not officially submit yet.
sam.assessment.submit.click_sub	The user selects the <b>Submit for Grading</b> button on the <i>Assessment Submission Warning</i> page.  Not sure if this is the correct meaning, or if this belongs with the event below instead?
sam.assessment.submit	This is also logged with a manual submission.  Not sure what it means?

Event	What the event means
sam.assessment.submit.checked	The user is on the page with the submission confirmation number.
	Not sure this is the correct meaning?
SAMIGO_TIMED_ASSESSMENT:QUEUE:REMOVE	A timer thread is removed from the queue when a timed assessment is submitted by any method (manual or automatic).
sam.assessment.thread_submit	A timed assessment is submitted by the expiration of the timer.
sam.assessmentTimedSubmitted	This provides the confirmation information for a timed assessment that was automatically submitted by the expiration of the timer.
SAMIGO_TIMED_ASSESSMENT:SUBMIT:FORGRADE	This also indicates the expiration of the timer thread submitting the assessment.
gradebook.updateItemScore	If the assessment settings included the option to send the score to the Gradebook, the score is being updated in the <i>Gradebook</i> tool.
transportMessage: headers[ From: "Server Name" <server email=""> To: "User" <user email=""> Subject: Notification for assessment submission</user></server>	An email notification for submission is sent to a user. The email subject varies slightly depending on how it was submitted (timer, auto, user submit).

#### **Reviewing Feedback**

Event	What the event means
sam.assessment.review	The user selects a <b>Feedback</b> link to access assessment feedback.

## **External Tools**

#### What are External Tools?


If you're a functional administrator, External Tools lets you configure integration with an external solution that utilizes <u>LTI</u>, an independent standard for web-based applications developed by <u>IMS</u>. You can integrate solutions that are compliant with either of the following LTI standards:

- LTI 1.1
- LTI 1.3 or LTI Advantage

You can make the external tool available in a specific site or in all sites. Site owners add the tool via Manage Tools or External Tools in <u>Site Info</u>.

External Tools lets you determine tool configuration options for site owners. You may provide no options, so site owners can only add the external tool. Or, you may allow site owners to change a variety of parameters, such as the tool name that displays in a site's Tool Menu or the tool's frame height.


## To access this tool, select External Tools from the Tool Menu of the Administration Workspace.



# How do I make an LTI tool available to site owners?

Note: Configuration of an external tool requires information unique to the external solution being integrated. In addition, integration with a solution from a third-party vendor may require an account with that vendor. Be sure to confirm all necessary information for an external solution before configuration.

#### Go to External Tools.



Select **External Tools** from the Tool Menu in the Administration Workspace.

#### **View Installed Tools.**



Click **Installed Tools**. If any external tools have been configured and made available in your instance, you'll see them listed.


#### Install LTI 1.1 tool.



#### **Configure LTI tool**


On the External Tool page, select settings and provide information as appropriate.

#### Site ID




Enter the appropriate site ID in the **Site Id** field if you want the external tool to be available ONLY in that site. If you want the external tool to be available in all sites, be sure to leave this field blank.

#### Title/description




- 1. Enter text in the **Tool Title** field. When users access the tool in a site, this text displays at the top of the frame.
- 2. Choose either **Do not Allow** or **Allow** editing of the title by site owners.
- 3. (Optional) Select a custom icon from the drop-down menu.
- 4. Choose either **Do not Allow** or **Allow** editing of the icon by site owners.
- 5. Enter text in the **Button Text** field. When users access the tool in a site, they'll see this text in the Tool Menu.
- 6. Choose either **Do not Allow** or **Allow** editing of the button text by site owners.
- 7. (Optional) Enter text in the **Description** field. This description will display to site owners when they select the tool via Site Info.

#### Status/visibility



- 1. For tool status, select **Enabled** or **Disabled**. Enabled means that it is available for use in the system. Disabled means it is not available for use.
- 2. For tool visibility, select **Visible** or **Stealthed**. Visible means that site owners can select it from Site Info > Manage Tools to add it to a site. Stealthed means that it does not appear in Site Info > Manage Tools and only admin users can add it to a site.

#### **Launch settings**




Note: The following settings are unique to each external solution. If the solution being integrated is from a third-party vendor, the vendor typically provides this information.

- 1. Enter the URL in the Launch URL\* field.
- 2. Enter the LTI key in the Launch Key\* field.
- 3. Enter the LTI secret in the Launch Secret\* field.

(Optional) Select the **Allow** radio button for any of these items to let site owners edit this information.

#### Frame height



To specify a height for the tool frame in a site, enter a value (in pixels) in the **Frame Height** field. Choose **Allow** to let site owners edit this value.

#### **Tool Order**



To specify the default order of the tool in the Tool Menu, specify a number in the list. This option is only available for LTI that are available in all sites.

#### **Configuration dialog**

Configuration dialog when tool is selected

- Bypass configuration dialog
- Show configuration dialog

#### **Privacy settings/services**

Privacy Settings:
Send User Names to External Tool
Send Email Addresses to External Tool
Services:
Allow External Tool to return grades
Allow External Tool to create grade columns
Provide Roster to External Tool
Allow External Tool to store setting data
Determine the site information you want provided to the external solution, and whether the solution will return grades for Gradebook integration. Select settings as appropriate.
Content Item Selection launches.
Indicate the following types of Content Item/Deep Link Selection launches this tool can handle. Not all tools can handle types of launches. If you enable a tool which is not capable of responding to a particular request, it will likely fail when you try to use it.
Allow the tool to be launched as a link (this is typically true for most tools)
Allow external tool to configure itself (the tool must support the IMS Content-Item or Deep-Link message)
Allow the tool to be used from the rich content editor to select content (the tool must support the IMS Content-Item or Deep-Link message)
Allow the tool to provide a common cartridge (usually to be imported into a tool like Lessons)
<ul><li>Allow the tool to provide a file (usually as part of a file picker)</li><li>Allow the tool to be one of the assessment types</li></ul>
Select the ways in which you would like this tool to be able to launch within a site.

#### Popup/debug

# Never launch in Popup Always launch in Popup Allow popup to be changed Debug Launch Never launch in debug mode Always launch in debug mode Allow debug mode to be changed

Choose how the external solution displays when it launches.

- Click **Never launch in Popup** if you want it to display in a frame within the site.
- Click **Always launch in Popup** if you want it to display in a separate popup window or new browser tab/window.

Click **Allow popup to be changed** to let site owners edit this setting.

Choose whether debug data will display to site owners when the external solution launches. Click **Allow debug mode to be changed** to let site owners edit this setting.

#### (Optional) Custom parameters

1	ustom Parameters (key=value on separate lines)
2	Manually map Sakai roles to IMS roles. Example: maintain:Learner;access:Learner
3	Allow additional custom parameters

- 1. Provide additional parameters in the **Custom Parameters** field, as appropriate. Be sure to list each parameter on a separate line. A parameter should be in the following format: key=value
- 2. If you would like to manually map Sakai roles to specific IMS roles, enter the mapping here in the following format: *instructor:Learner;student:Learner*
- 3. Click **Allow additional custom parameters** to let site owners enter more parameters.

#### Splash screen

Splash	Screen (If this is non-blank it is shown	n before the tool is launched

Enter text in the **Splash Screen** field, as appropriate. This text will display to all users before the external tool launches.

#### LTI 1.3 information

If you select LTI 1.3 support, your configuration information should be immediately viewed once the tool record has been inserted. If your tool has provided a public key or keyset for LTI 1.3 enter it, otherwise leave both fields blank and public and private keys will be provided for you. If we generate a private key for the tool, you need to view it and communicate it to the tool immediately because it will be deleted shortly after it is created.

Tool does not sup	pport LTI 1.3
O Tool supports LT	1.3
LTI 1.3 Tool OpenID Con	nect/Initialization Endpoint (provided by the tool)
LTI 1.3 Tool Redirect End	point(s) (comma separated and provided by the too

If you are configuring an LTI 1.1 tool, leave the default selection of **Tool does not support LTI** 1.3.

If you are configuring an LTI 1.3 or LTI Advantage tool, select **Tool supports LTI 1.3**.

For LTI 1.3 tools, enter the **Tool OpenID Connect/Initialization Endpoint** and **Tool Redirect Endpoint(s)** into the two fields provided.

#### LTI 1.1 information

Type of LTI 1.1 Launch to Use

- Inherit System-Wide Default
- Use Legacy LTI 1.1 Launch
- Use Round-trip LTI 1.1 Launch

#### Save your work



Click the **Save** button. You'll see the external tool listed with other external tools available in the system.

# How do I view currently installed LTI 1.1 tools in the system?

Note: Configuration of an external tool requires information unique to the external solution being integrated. In addition, integration with a solution from a third-party vendor may require an account with that vendor. Be sure to confirm all necessary information for an external solution before configuration.

#### Go to External Tools.



Select **External Tools** from the Tool Menu in the Administration Workspace.


#### **View Installed Tools.**



Click **Installed Tools**. If any external tools have been configured and made available in your Sakai instance, you'll see them listed here.

## How do I add an LTI tool to a site as an admin?

#### Go to External Tools.



Select the **External Tools** link from the Tool Menu in the Administration Workspace.

#### **Click Tool Links.**




#### Click the Create Tool Link.



#### Select a tool from the drop-down list.


#### EXTERNAL TOOLS

#### **Create Tool Link**



Note: Only previously installed tools will appear in this list. If the LTI tool you would like to add does not show up in the list, you need to install the LTI 1.1 or LTI 2.x tool first.

#### Enter the site information and save.




Note: All tool links need to have a non-null SITE\_ID in order to be launched.

- 1. The **Site ID** is required.
- 2. (Optional) Select a **Custom Icon** for the tool.
- 3. (Optional) Specify a **Resource Handler** for the tool.

- 4. (Optional) Check the box to **Add Site Link**. This will place a link to the tool in the destination site's Tool Menu.
- 5. Click **Save** to save your settings.

#### View tool links to sites.



If you have a url, key, and secret you need to install a new tool, and then come back and place that tool to be launched in this screen.

Note: All tool links need to have a non-null SITE\_ID in order to be launched.

Once you have added the tool link, you will see it in the list of tool links to sites in the system. One tool may have many links if it has been added to several sites.

## **Job Scheduler**

#### What is the Job Scheduler?

The Job Scheduler tool (or Quartz) in Sakai is a full-featured, open source job scheduling system that can be integrated with, or used along side virtually any J2EE or J2SE application from the smallest stand-alone application to the largest e-commerce system. Quartz can be used to create simple or complex schedules for executing tens, hundreds, or even tens-of-thousands of jobs; jobs whose tasks are defined as standard Java components or EJBs. The Quartz Job Scheduler includes many enterprise-class features, such as JTA transactions and clustering.

For more information on creating custom jobs, please visit the Confluence wiki: <a href="https://confluence.sakaiproject.org/display/BOOT/Quartz+in+Sakai">https://confluence.sakaiproject.org/display/BOOT/Quartz+in+Sakai</a>

## To access this tool, select Job Scheduler from the Tool Menu in the Administration Workspace.




#### How do I view the event log?

#### Go to the Job Scheduler tool.



Select the **Job Scheduler** tool from the Tool Menu in the Administration Workspace.

#### Viewing the event log.



The landing page for the tool takes you to a view showing **All Events**.

Note: If you would like to view only events logged from a current date range, you may <u>Filter Events</u> by date.


## How do I filter events?

## Go to the Job Scheduler tool.




Select the **Job Scheduler** tool from the Tool Menu in the Administration Workspace.

#### **Click Filter Events.**



#### Set the desired filters.




Choose the filters you would like to apply in order to limit your view of the event log to the desired items. You may filter events by date, job, or type.

Click the **Set Event Filters** button after you have entered your criteria to save and apply the filter.


# How do I view jobs?

### Go to the Job Scheduler tool.



Select the **Job Scheduler** tool from the Tool Menu in the Administration Workspace.

#### Click the Jobs button.



### View the list of currently scheduled jobs.




# How do I schedule a new job?

### Go to the Job Scheduler tool.



Select the Job Scheduler tool from the Tool Menu in the Administration Workspace.

### Click the Jobs button.




### Click the New Job button.



## Give the job a name.




## Select the job type from the drop-down menu.




#### Click Post.



### Select the Triggers link to add a trigger.




### Click Run Job Now to run the job manually.



#### Click Run Now to confirm.



#### Or, to automate the job, click New Trigger.



#### **Enter a Trigger Name and Cron Expression.**



A cron expression is a string comprised of 6 or 7 fields separated by white space. Fields can contain any of the allowed values, along with various combinations of the allowed special characters for that field. The fields are as follows:

#### Field Name Mandatory Allowed Values Allowed Special Characters

Seconds YES 0-59 , - \* /

Minutes YES 0-59, - \*/

Hours YES 0-23, - \*/

Day of month YES 1-31, - \*?/LW

Month YES 1-12 or JAN-DEC, - \*/

Day of week YES 1-7 or SUN-SAT, - \*?/L#

Year NO empty, 1970-2099, - \*/

So cron expressions can be as simple as this: \* \* \* \* ? \*

or more complex, like this: 0/5 14,18,3-39,52 \*? JAN,MAR,SEP MON-FRI 2002-2010

For more information on cron expressions, see <u>How do I create cron expressions?</u>

#### Click Post.



#### View the list of triggers for that job.



You will see a list of triggers for the current job, along with an indication of when it is next scheduled to run.

You may add additional triggers if desired.

## Deleting a trigger.



#### Currently editing triggers for job: Course Site Publish - Spring 2020



To remove an existing trigger, select the check box next to the item and then click the **Delete** button.

#### Click OK to confirm the deletion.



# How do I create cron expressions?

For more information about cron expressions, go to: <a href="https://www.quartz-scheduler.net/">https://www.quartz-scheduler.net/</a> documentation/quartz-3.x/tutorial/crontrigger.html

#### Introduction

cron is a UNIX tool that has been around for a long time, so its scheduling capabilities are powerful and proven. The CronTrigger class is based on the scheduling capabilities of cron.

CronTrigger uses "cron expressions", which are able to create firing schedules such as: "At 8:00am every Monday through Friday" or "At 1:30am every last Friday of the month".

#### **Format**

A cron expression is a string comprised of 6 or 7 fields separated by white space. Fields can contain any of the allowed values, along with various combinations of the allowed special characters for that field. The fields are as follows:

#### Field Name Mandatory Allowed Values Allowed Special Characters

```
Seconds YES 0-59 , - * /

Minutes YES 0-59 , - * /

Hours YES 0-23 , - * /

Day of month YES 1-31 , - * ? / L W

Month YES 1-12 or JAN-DEC , - * /

Day of week YES 1-7 or SUN-SAT , - * ? / L #

Year NO empty, 1970-2099 , - * /

So cron expressions can be as simple as this: * * * * ? *

or more complex, like this: 0/5 14,18,3-39,52 * ? JAN,MAR,SEP MON-FRI 2002-2010
```

#### **Special characters**

\* ("all values") - used to select all values within a field. For example, "\*" in the minute field means "every minute".

? ("no specific value") - useful when you need to specify something in one of the two fields in which the character is allowed, but not the other. For example, if I want my trigger to fire on a particular day of the month (say, the 10th), but don't care what day of the week that happens to be, I would put "10" in the day-of-month field, and "?" in the day-of-week field. See the examples below for clarification.

- - used to specify ranges. For example, "10-12" in the hour field means "the hours 10, 11 and 12".
- , used to specify additional values. For example, "MON,WED,FRI" in the day-of-week field means "the days Monday, Wednesday, and Friday".

/ - used to specify increments. For example, "0/15" in the seconds field means "the seconds 0, 15, 30, and 45". And "5/15" in the seconds field means "the seconds 5, 20, 35, and 50". You can also specify '/' after the " character - in this case " is equivalent to having '0' before the '/'. '1/3' in the day-of-month field means "fire every 3 days starting on the first day of the month".

L ("last") - has different meaning in each of the two fields in which it is allowed. For example, the value "L" in the day-of-month field means "the last day of the month" - day 31 for January, day 28 for February on non-leap years. If used in the day-of-week field by itself, it simply means "7" or "SAT". But if used in the day-of-week field after another value, it means "the last xxx day of the month" - for example "6L" means "the last friday of the month". You can also specify an offset from the last day of the month, such as "L-3" which would mean the third-to-last day of the calendar month. When using the 'L' option, it is important not to specify lists, or ranges of values, as you'll get confusing/unexpected results.

W ("weekday") - used to specify the weekday (Monday-Friday) nearest the given day. As an example, if you were to specify "15W" as the value for the day-of-month field, the meaning is: "the nearest weekday to the 15th of the month". So if the 15th is a Saturday, the trigger will fire on Friday the 14th. If the 15th is a Sunday, the trigger will fire on Monday the 16th. If the 15th is a Tuesday, then it will fire on Tuesday the 15th. However if you specify "1W" as the value for day-of-month, and the 1st is a Saturday, the trigger will fire on Monday the 3rd, as it will not 'jump' over the boundary of a month's days. The 'W' character can only be specified when the day-of-month is a single day, not a range or list of days.

The 'L' and 'W' characters can also be combined in the day-of-month field to yield 'LW', which translates to \*"last weekday of the month"\*.

# - used to specify "the nth" XXX day of the month. For example, the value of "6#3" in the day-of-week field means "the third Friday of the month" (day 6 = Friday and "#3" = the 3rd one in the month). Other examples: "2#1" = the first Monday of the month and "4#5" = the fifth Wednesday of the month. Note that if you specify "#5" and there is not 5 of the given day-of-week in the month, then no firing will occur that month.

The legal characters and the names of months and days of the week are not case sensitive. MON is the same as mon.

#### **Examples**

Here are some full examples:

\*\*Expression\*\* \*\*Meaning\*\*

0 0 12 \* \* ? Fire at 12pm (noon) every day

0 15 10 \* \* ? 2005 Fire at 10:15am every day during the year 2005

0 \* 14 \* \* ? Fire every minute starting at 2pm and ending at 2:59pm, every day

0 0/5 14 \* \*? Fire every 5 minutes starting at 2pm and ending at 2:55pm, every day

0 0/5 14,18 \* \* ? Fire every 5 minutes starting at 2pm and ending at 2:55pm, AND fire every 5 minutes starting at 6pm and ending at 6:55pm, every day

0 0-5 14 \* \*? Fire every minute starting at 2pm and ending at 2:05pm, every day

0 10,44 14 ? 3 WED Fire at 2:10pm and at 2:44pm every Wednesday in the month of March.

0 15 10 ? \* MON-FRI Fire at 10:15am every Monday, Tuesday, Wednesday, Thursday and Friday

0 15 10 15 \*? Fire at 10:15am on the 15th day of every month

0 15 10 L \*? Fire at 10:15am on the last day of every month

0 15 10 L-2 \*? Fire at 10:15am on the 2nd-to-last last day of every month

0 11 11 11 11? Fire every November 11th at 11:11am.

Pay attention to the effects of '?' and '\*' in the day-of-week and day-of-month fields!


# How do I delete a job?

### Go to the Job Scheduler tool.




Select the **Job Scheduler** tool from the Tool Menu in the Administration Workspace.


#### Click the Jobs button.



### Select the job you want to remove and click Delete.



### Click OK to confirm the deletion.



×


# How do I view running jobs?

### Go to the Job Scheduler tool.




Select the **Job Scheduler** tool from the Tool Menu in the Administration Workspace.

### Click the Running Jobs button.



## View the list of currently running jobs.



# How do I purge softly deleted sites?


Softly deleted sites are no longer accessible to users, but their files and tool content still remain on the server. To completely remove these sites and all of their data from the system, the administrator may run a Quartz job to expunge softly deleted sites.

## Go to Job Scheduler.




Select the Job Scheduler tool from the Tool Menu in the Administrative Workspace.

### Click Jobs.



### Click New Job.




## Give your new job a name.



In this example, we have named the job "Purge Soft Deletes."


#### Select Expunge Softly Deleted Sites from the Type dropdown menu.




#### Click Post.



## Click on the Triggers link for the job.



#### Click Run Job Now.




This will immediately begin the job to purge any softly deleted sites in the system.


#### Click Run Now again to confirm.




### Click on Event Log to view the log.



# Notice that the Purge Soft Deletes job will be listed as fired and completed.




## Or, click New Trigger.




If you prefer to purge the softly deleted sites on a schedule, rather than by running the job manually, click the **New Trigger** button to add a trigger for the job scheduler.


#### **Enter a Trigger Name and Cron Expression.**



#### Click Post.



### The new trigger for this job will be displayed.



# Memory

# What is the admin Memory tool?

The admin Memory tool allows administrators to view cache sizes in order to better optimize performance.

Sakai's default cache sizes and expiration settings are conservative and most likely need to be adjusted at large institutions.

All caches should be adjustable in Sakai 10.0+ with a simple modification to the sakai.properties file.

Adjust the caching of users especially if you use the JLDAP provider. This example will cache up to 50k users for up to half a day each:

memory.org.sakaiproject.user.api.UserDirectoryService.callCache=timeToLiveSeconds=43400,tin

Adjust the realm/role group cache to retain items in the cache for two hours:

memory.org.sakaiproject.authz.impl.DbAuthzGroupService.realmRoleGroupCache=timeToLiveSe

The user/site cache keeps track of the sites associated with the user:

memory.org.sakaiproject.site.api.SiteService.userSiteCache=timeToLiveSeconds=86400,timeToId

The security service cache retains information about permission requests (e.g., can user xxxx do asn.submit in /site/abc):


• memory.org.sakaiproject.authz.api.SecurityService.cache=timeToLiveSeconds=86400,timeToldle

## To access this tool, select Memory from the Tool Menu in the Administration Workspace.



# **How do I view Memory Status?**

## Go to the Memory tool



Select the **Memory** tool from the Tool Menu of the Administration Workspace.

#### **Click Status.**



### The memory report will display.

#### **△ MEMORY**

% Link

#### Memory

\*\* Memory report

freeMemory: 757940736 totalMemory: 1550581760 maxMemory: 1550581760

au.edu.anu.portal.portlets.cache.SimpleRSSPortletCache.feed Ehcache: count:0 hits:0 misses:0 hit%:0 au.edu.anu.portal.portlets.cache.SimpleRSSPortletCache.media Ehcache: count:0 hits:0 misses:0 hit%:0 bullhorn\_alert\_count\_cache Ehcache: count:4 hits:724 misses:96 hit%:88  $com.vericite. Content Review Service Veri Cite. assignment Last Checked Cache Ehcache: count: 0 \ NO \ statistics (not enabled for cache) and the count of the$ com.vericite.ContentReviewServiceVeriCite.assignmentTitleCache Ehcache: count:0 hits:0 misses:0 hit%:0

com.vericite.ContentReviewServiceVeriCite.contentScoreCache Ehcache: count:0 NO statistics (not enabled for cache)

com.vericite.ContentReviewServiceVeriCite.userUrlCache Ehcache: count:0 NO statistics (not enabled for cache)

org.hibernate.cache.internal.StandardQueryCache Ehcache: count:0 hits:0 misses:0 hit%:0

org.hibernate.cache.spi.UpdateTimestampsCache Ehcache: count:0 hits:0 misses:0 hit%:0

org.sakaiproject.acadtermmanage.sakai.academicsession\_cache Ehcache; count:0 NO statistics (not enabled for cache)

org.sakaiproject.announcement.tool.messages.cache Ehcache: count:19 hits:238 misses:222 hit%:5

org.sakaiproject.authz.api.SecurityService.cache Ehcache: count:387 hits:37545 misses:2654 hit%:93 org.sakaiproject.authz.api.SecurityService.contentCache Ehcache: count:250 hits:405 misses:289 hit%:58

org.sakaiproject.authz.api.SecurityService.superCache Ehcache: count:20 hits:131336 misses:130 hit%:99

org.sakaiproject.authz.impl.DbAuthzGroupService.authzUserGroupIdsCache Ehcache: count;2 hits;118 misses:8 hit%:93

org.sakaiproject.authz.impl.DbAuthzGroupService.maintainRolesCache Ehcache: count:1 hits:0 misses:0 hit%:0

org.sakaiproject.authz.impl.DbAuthzGroupService.realmRoleGroupCache Ehcache: count:143 hits:5410 misses:878 hit%:86 org.sakaiproject.calendar.cache Ehcache: count:15 hits:2233 misses:187 hit%:92

org.sakaiproject.calendar.impl.BaseExternalCacheSubscriptionService.institutionalCache Ehcache: count:1 hits:3621 misses:22 hit%:99

org.sakaiproject.calendar.impl.BaseExternalCacheSubscriptionService.userCache Ehcache: count:0 hits:0 misses:0 hit%:0

org.sakaiproject.citation.api.SearchManager.metasearchSessionManagerCache Ehcache: count:0 hits:0 misses:0 hit%:0

 $org. saka iproject. citation. api. Search Manager. session Context Cache \ Eh cache: count: 0 \ hits: 0 \ misses: 0 \ hit\%: 0 \ hi$ 

org, sakaiproject.component, app.messageforums.ui. Discussion Forum Manager Impl. allowed Functions Cache Ehcache: count: 1 hits: 21 misses: 3 hit: 87

org.sakaiproject.component.app.messageforums.ui.UIPermissionsManagerimpl.userGroupMembershipCache Ehcache: count:3 hits:35 misses:9 hit%:79

org.sakaiproject.contentreview.turnitin.oc.ContentReviewServiceTurnitinOC.LATEST\_EULA\_CACHE Ehcache: count:0 NO statistics (not enabled for cache) org.sakaiproject.db.BaseDbFlatStorage.SAKAI\_REALM\_PROPERTY Ehcache: count:142 hits:5422 misses:866 hit%:86

org.sakaiproject.db.BaseDbFlatStorage.SAKAL\_SITE\_GROUP\_PROPERTY Ehcache: count:0 hits:0 misses:0 hit%:0 org.sakaiproject.db.BaseDbFlatStorage.SAKAL\_SITE\_PAGE\_PROPERTY Ehcache: count:2273 hits:0 misses:61133 hit%:0

org.sakaiproject.db.BaseDbFlatStorage.SAKAI\_SITE\_PROPERTY Ehcache: count:405 hits:2704 misses:11819 hit%:18


org.sakaiproject.db.BaseDbFlatStorage.SAKAI\_USER\_PROPERTY Ehcache: count:38 hits:0 misses:214 hit%:0

org.sakaiproject.delegatedaccess.logic.ProjectLogic.hierarchySearchCache Ehcache: count:1 hits:0 misses:1 hit%:0

### How do I locate maxed out caches?


A maxed-out cache will have a count value of 10000 or 100000. Look for these values in the Status area of the Memory tool.

#### Go to the Memory tool



Select the **Memory** tool from the Tool Menu of the Administration Workspace.

#### Click Status.



#### Look for a count value of 10000 or 100000.

\*\* Current Cache Configurations

# DEFAULTS: maxElementsInMemory=5000,timeToLiveSeconds=600,timeToIdleSeconds=360,eternal=false

# memory.au.edu.anu.portal.portlets.cache.SimpleRSSPortletCache.feed \*ALL DEFAULTS\*

# memory.bullhorn\_alert\_count\_cache \*ALL DEFAULTS\*

# memory.com.vericite.ContentReviewServiceVeriCite.assignmentLastCheckedCache=maxElementsInMemory=10000,timeToLiveSeconds=300

# memory.com.vericite.ContentReviewServiceVeriCite.assignmentTitleCache \*ALL DEFAULTS\*

memory.com.vericite.ContentReviewServiceVeriCite.contentScoreCache=maxElementsInMemory=10000,timeToLiveSeconds=300

memory.com.vericite.ContentReviewServiceVeriCite.userUrlCache=maxElementsInMemory=10000,timeToLiveSeconds=1200


memory.org.hibernate.cache.internal.StandardQueryCache=maxElementsInMemory=12000,timeToLiveSeconds=1200,timeToIdleSeconds=600

memory.org.sakaiproject.acadtermmanage.sakai.academicsession\_cache=maxElementsInMemory=200,timeToLiveSeconds=3600,timeToIdleSeconds=3600

Tip: You can click CTRL+F on your keyboard to use the find on page command in your browser.

## How do I reset all caches?

## Go to the Memory tool



Select the **Memory** tool from the Tool Menu of the Administration Workspace.

#### **Click Reset All Caches.**




# How do I evict expired members?

## Go to the Memory tool



Select the **Memory** tool from the Tool Menu of the Administration Workspace.

### **Click Evict Expired Members.**




# Message Bundle Manager

# What is the Message Bundle Manager tool?


With the Message Bundle Manager, Sakai Administrators can find and edit system message properties, which define UI text for Sakai components in various languages.

## To access this tool, go to Message Bundle Manager from the Tool Menu in the Administration Workspace.



# How do I find the number of modified messages in the system?

#### Go to Message Bundle Manager.



Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.


#### **View Status.**



The **Status** tab (which is also the landing page for the tool) will display the current number of modified messages as well as the total number of message properties in the system.

# How do I search system messages?


#### Go to Message Bundle Manager.




Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.

## **Click Search Messages.**




#### Enter search text.




## Select language.



#### Click the Search button.




#### View search results.



All items matching your search criteria will be displayed.

## How do I view system messages by module?

### Go to Message Bundle Manager.




Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.

### **Click Messages by Module.**




### Select the module.




## Select the language.



### Click Filter.




### View module messages.



All system messages for that module will be displayed.

#### Filter results.




Showing 1 to 2 of 2 entries (filtered from 134 total entries)

If desired, you may filter the results further by entering a keyword into the **Filter Results** field. This will display items containing your keyword within this module.

# How do I customize a default system message?


### Go to Message Bundle Manager.



Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.

### Locate the message that you would like to customize.




You may locate the default message by:


1. Searching for the message. (See <u>How do I search system messages?</u> for more information.)

2. Viewing messages by module. (See <u>How do I view system messages by module?</u> for more information.)

### Click Edit.




## Enter your custom text into the Value field.



### Click Save.




### The modified message information will be displayed.



Notice that the text in the Value field is now different than the text in the Default Value field.

# How do I view and edit modified messages in the system?


### Go to Message Bundle Manager.



Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.


### **Click Modified Messages.**



All modified messages in the system will display.


Tip: If there are a large number of messages, remember that you can enter text into the **Filter Results** field to narrow down the results and help locate a specific message.

### Click Edit.



Showing 1 to 1 of 1 entries

### Make your changes to the text in the Value field.




### Click Save.



# How do I delete a modified message and revert back to the default value?


### Go to Message Bundle Manager.



Select the **Message Bundle Manager** tool from the Tool Menu in the Administration Workspace.

Note: If you do not see the Message Bundle Manager tool in the menu, you may need to add it. See <u>How do I add a stealthed tool to a site?</u> for more information on adding a tool to the site.

### **Click Modified Messages.**




Showing 1 to 1 of 1 entries

All modified messages in the system will display.


Tip: If there are a large number of messages, remember that you can enter text into the **Filter Results** field to narrow down the results and help locate a specific message.

### Click Edit.




Showing 1 to 1 of 1 entries

### **Click Revert.**



## The modified message will be deleted.



## **Online**

### What is the Online tool?

The Online admin tool provides information on currently running servers and sessions, as well as user IP address and browser information.

# To access this tool, select Online from the Tool Menu of the Administration Workspace.



### How do I view active servers?

### Go to the Online tool.



Select the **Online** tool from the Tool Menu of the Administration Workspace.

#### View active servers.



The landing page of this tool will display the current list of active servers and the number of sessions connected to each server.

Note: You may also click on the **Servers** tab to view this information if you are in a different tab.

### How do I view user locations?

### Go to the Online tool.




Select the **Online** tool from the Tool Menu of the Administration Workspace.

### Click Locations.



### View the locations of current users.



You will see a list of the current users online, along with their IP addresses, browser information, and the date and time of their connection.

### How do I view active sessions?

### Go to the Online tool.



Select the **Online** tool from the Tool Menu of the Administration Workspace.

### Click Sessions.



### View a list of active sessions.



You will see a list of all sessions currently connected.

# How do I refresh location, session, and server data?

### Go to the Online tool.



Select the **Online** tool from the Tool Menu of the Administration Workspace.

#### Click Refresh.



You may click the **Refresh** button to manually refresh the data displayed on screen. Manual refresh is the default setting.

### Or, click Auto Refresh to refresh automatically.



If you select the **Auto Refresh** option, your screen should refresh automatically every few seconds.

## **PA System**

## What is the PA System?


The PA System tool provides system administrators with the ability to deliver customizable system-wide or targeted alerts to users in their Sakai instance. These alerts may take the form of dismissible, rich-text popup alerts or simple text banners, color-coded by alert priority. All alerts are centrally managed through the PA System tool within the Sakai Administration Workspace and can also be controlled via a set of RESTful APIs.

Popup alerts are modal windows that users see upon logging into the system. These popups may be temporarily or permanently dismissed by the user. The content of these alerts allow for rich HTML content/formatting.

Banner alerts, similar to notification banners in mobile operating systems, appear at the top of the user interface and are designed for delivering simple and concise information to users. These alerts can be pushed to all users or a targeted subset of users. Furthermore, banner alerts can be delivered on all servers of a Sakai instance or to only selected servers. There are three different types of banners in the PA System, color-coded by alert priority:

- Blue (Low priority) can be dismissed by the user
- Yellow (Medium priority) can be hidden (minimized) by the user
- Red (High priority) can be neither dismissed nor hidden by the user

# To access this tool, select PA System from the Tool Menu in the Administration Workspace.




## How do I create a banner system message?

Banner alerts, similar to notification banners in mobile operating systems, appear at the top of the user interface and are designed for delivering simple and concise information to users. These alerts can be pushed to all users or a targeted subset of users. Furthermore, banner alerts can be delivered on all servers of a Sakai instance or to only selected servers. There are three different types of banners in the PA System, color-coded by alert priority:


- Blue (Low priority) can be dismissed by the user
- Yellow (Medium priority) can be hidden (minimized) by the user
- Red (High priority) can be neither dismissed nor hidden by the user

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.

#### Click Create Banner.




### Enter the banner information.



- 1. **Message:** This is the text that will display in the banner across the top of the screen.
- 2. **Type:** Choose the type of priority for the message. High priority messages display in red and cannot be hidden or dismissed by users. Medium priority message display in green and can be hidden by users. Low priority message display in blue and can be dismissed by users.

- 3. **Active:** Check this box to indicate that the banner message is active. This may be used as an alternative to setting start and end dates if you plan to enable/disable the message manually.
- 4. **Start Time:** This is the date and time when the banner message becomes visible to users.
- 5. **End Time:** This is the date and time when the banner message is not longer displayed to users.
- 6. **Hosts**: If you would like to limit the banner message to specific servers, you may enter the host information here.
- When you have entered all of the message information, click Save Banner to save your changes.

### View banner message.




When active, the banner message will display at the top of the screen, as shown in the image above.

## How do I edit a banner system message?

Banner alerts, similar to notification banners in mobile operating systems, appear at the top of the user interface and are designed for delivering simple and concise information to users. These alerts can be pushed to all users or a targeted subset of users. Furthermore, banner alerts can be delivered on all servers of a Sakai instance or to only selected servers. There are three different types of banners in the PA System, color-coded by alert priority:


- Blue (Low priority) can be dismissed by the user
- Yellow (Medium priority) can be hidden (minimized) by the user
- Red (High priority) can be neither dismissed nor hidden by the user

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.


### View existing banners.



### Click Edit for the banner message you want to modify.




### Edit the message information as needed, and then save.



- 1. **Message:** This is the text that will display in the banner across the top of the screen.
- 2. **Type:** Choose the type of priority for the message. High priority messages display in red and cannot be hidden or dismissed by users. Medium priority message display in green and can be hidden by users. Low priority message display in blue and can be dismissed by users.
- 3. **Active:** Check this box to indicate that the banner message is active. This may be used as an alternative to setting start and end dates if you plan to enable/disable the message manually.
- 4. **Start Time:** This is the date and time when the banner message becomes visible to users.
- 5. **End Time:** This is the date and time when the banner message is not longer displayed to users.
- 6. **Hosts**: If you would like to limit the banner message to specific servers, you may enter the host information here.
- 7. When you have entered all of the message information, click **Save Banner** to save your changes.

### View banner message.




When active, the banner message will display at the top of the screen, as shown in the image above.

## How do I delete a banner system message?

Banner alerts, similar to notification banners in mobile operating systems, appear at the top of the user interface and are designed for delivering simple and concise information to users. These alerts can be pushed to all users or a targeted subset of users. Furthermore, banner alerts can be delivered on all servers of a Sakai instance or to only selected servers. There are three different types of banners in the PA System, color-coded by alert priority:


- Blue (Low priority) can be dismissed by the user
- Yellow (Medium priority) can be hidden (minimized) by the user
- Red (High priority) can be neither dismissed nor hidden by the user

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.


### View existing banners.




# Click the trashcan icon (Delete) for the banner message you want to delete.



### Click Delete Banner to confirm the deletion.




## The banner will be deleted and a confirmation message will be displayed.



## How do I create a popup system message?


Popup alerts are modal windows that users see upon logging into the system. These popups may be temporarily or permanently dismissed by the user. The content of these alerts allow for rich HTML content/formatting.

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.

### **Click Create Popup.**




### Enter the popup information.




- 1. **Description:** This is the description of your popup message as shown in the PA System message list.
- 2. **Template:** Click **Browse** to locate and select the file containing your popup message content. (Note: Several sample templates are provided for you if you click Download Templates from the PA System landing page.)
- 3. **Start Time:** This is the time and date when your popup will be visible to users.
- 4. **End Time:** This is the time and date when you popup will no longer be available to users.
- 5. **Distribution:** You may choose to **Show this campaign to everyone** or **Show this campaign to selected users**. If you choose selected users, you may enter the comma separated userids for selected users in the text field below.
- 6. Click **Save Popup** to save your changes.

## View the popup message.



When active, the popup message will display to users as shown in the image above.


## Admin users may also click the Preview button to preview a popup message.



# How do I edit an existing popup system message?


Popup alerts are modal windows that users see upon logging into the system. These popups may be temporarily or permanently dismissed by the user. The content of these alerts allow for rich HTML content/formatting.

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.


### View existing popup messages.



### Click Edit for the popup you want to modify.



### Edit the popup information as needed, then save.




- 1. **Description:** This is the description of your popup message as shown in the PA System message list.
- 2. **Template:** Click **Browse** to locate and select the file containing your popup message content. (Note: Several sample templates are provided for you if you click Download Templates from the PA System landing page.)
- 3. **Start Time:** This is the time and date when your popup will be visible to users.
- 4. **End Time:** This is the time and date when you popup will no longer be available to users.

- 5. **Distribution:** You may choose to **Show this campaign to everyone** or **Show this campaign to selected users**. If you choose selected users, you may enter the comma separated userids for selected users in the text field below.
- 6. Click **Save Popup** to save your changes.


Note: Remember that you will need to make your changes to the html template file before uploading the edited version. Popup message content cannot be edited online via the PA System tool.

### View the popup message.



When active, the popup message will display to users as shown in the image above.


# Admin users may also click the Preview button to preview a popup message.



# How do I delete a popup system message?


Popup alerts are modal windows that users see upon logging into the system. These popups may be temporarily or permanently dismissed by the user. The content of these alerts allow for rich HTML content/formatting.

### Go to PA System.




Select the **PA System** tool from the Tool Menu in the Administration Workspace.


## View existing popup messages.




# Click the trashcan icon (Delete) for the popup you want to delete.



## Click Delete Popup to confirm deletion.



# The popup message will be deleted and a confirmation message will display.



# **Permissions and Roles**

# What are Permissions and Roles?

### **Permissions**

Permissions allow users to access certain features of a course or project site, depending on their roles, and on the decisions made by the site owner and the system administrator.

### **Roles**

Roles are collections of permissions. Some roles allow users to simply access or read content, while other roles allow for advanced changes, such as adding participants, editing the site's content, and changing permissions for other roles.

When you create a site, or when one is created for you, you have the role with the most permissions and the broadest level of access. You can choose (within the limits established by the system administrator) which tools or functions (e.g., Forums, Calendar, Resources) you want the site to have. For many of these tools or functions, you can set permissions that allow or prevent users from seeing or performing certain tasks, depending on their roles.

Roles may vary in name, depending on the application. However, in general, the creator of a project site, or the instructor of a course site, has full permissions, and can add or delete content within a site.

A user who joins an existing site has a more limited role. The permissions of this role allow for interaction in the site (e.g., creating Chat messages), but do not allow for advanced tasks (e.g., uploading files into Resources or creating assignments).

However, each implementation of the application will be different. System administrators can decide during implementation which roles to install, and which permissions these roles will have.

#### Some things to remember:

- The availability of a tool in a site depends on the particular implementation of the system administrator. If you have broad rights to a site, and find that a tool is not available through Site Info, consult your administrator.
- The Resources and Drop Box tools share the same permissions set. You can modify them in the Resources tool.
- Default roles have default permissions. These defaults can be edited on the system level by the system administrator, and on the site level by anyone with full permissions to the site.
- All users are assigned the broadest role in their respective Home areas to give them editing control.

### **Default participant roles**

The following default roles are available in course and project sites:

#### Course sites

- **Instructor**: Instructors have full permissions throughout the site, including the ability to publish the site and set its global access. Instructors can read, revise, delete, and add both content and participants to a site.
- **Teaching Assistant**: Teaching Assistants can read, add, and revise most content in their sections.
- **Student**: Students can read content, and add content to a site where appropriate.

#### **Project sites**

- **Maintain**: The Maintain role has full permissions throughout the site, including the ability to publish the site and set its global access. The Maintain role can read, revise, delete, and add both content and participants to a site.
- **Access**: The Access role can read content and add content to a site where appropriate.

### **Custom roles**

Many institutions create custom roles with specific sets of permissions for their local systems. Custom roles must be created by a system administrator using the Realms tool.

# How do I change participant roles within a site?


Note: To complete these steps, you must be assigned a role having the necessary permissions within the site.

### Go to Site Info.




Select the **Site Info** link in the Tool Menu of your site.

### Go to Manage Participants.



# Change the role from the drop-down menu in the list of enrolled participants.



Below your site's information, you will see its participant list.

- 1. Next to the participant(s) whose role(s) you want to change, select the appropriate role(s) from the drop-down menu(s) under "Role".
- 2. Click **Update Participants** to save your change.

# Realms

### What are Realms?

Realms are a combination of roles and permissions for a site. Every Sakai sites has its own unique realm. When a new site is created, it is based on a template site and copies the roles and permissions from the template. Modifications to roles and permissions within a template realm will affect all new sites created from that template. However, once created, an individual, non-template site's realm can be modified to create custom roles and/or permissions within that specific realm, independent of the original template. Realms can be viewed and modified using the administrative Realms tool.

#### **Site Template Realms**

Depending on the type of site being created, one of the following templates is used.

- If the site is a user workspace, the template used is **!site.user**.
- If the site is not a user workspace, and has a type configured, the template used will be !site.template.<type> where <type> is the site type (e.g. !site.template.course, !site.template.project, etc.).
- If there is no site type defined, the default template is **!site.template**.

#### **User Template Realms**

User accounts are also based on realms.

- !user.template.<usertype>, this realm depends on the user type. Do not confuse this with the user's role.
- · !user.template

#### **Site Helper Template**


The **!site.helper** template can be used to force permissions on a role for all existing sites. This is useful if you have need to add new roles or change role permissions in all sites after many sites have been created.

# To access this tool, select Realms from the Tool Menu in the Administration Workspace.




## **How do I search Realms?**

### Go to Realms.



Select the **Realms** tool from the Tool Menu of the Administration Workspace.


# Enter the site id for the site you are looking for and click Search.



Tip: You can locate the site id of a course or project site by using the admin Sites tool to search for the site and view/edit its details, or by accessing the site and copying the site id from the URL displayed in your web browser. The site id is the string of characters displayed just after the /site/ portion of the URL.


For example, in the following URL, the site id is shown in bold: http://qa3-us.sakaiproject.org:8086/portal/site/DAC-EDUCATION-DEPT1-SUBJ1-101

# Your search results will display.




# How do I modify an existing role within a Realm?

### Go to Realms.



Select the **Realms** tool from the Tool Menu of the Administration Workspace.


### Search and locate the site you want to edit.




Tip: You can locate the site id of a course or project site by using the admin Sites tool to search for the site and view/edit its details, or by accessing the site and copying the site id from the URL displayed in your web browser. The site id is the string of characters displayed just after the /site/ portion of the URL.

For example, in the following URL, the site id is shown in bold: http://qa3-us.sakaiproject.org:8086/portal/site/**DAC-EDUCATION-DEPT1-SUBJ1-101** 


### Click on the realm id.



# Click on the role id for the role you want to modify.



## Select the desired permissions.



You will see a long list of permissions. This list represents all of the different permissions available to users in the system.

Check the box next to the permissions you want that role to have, and deselect any permissions that you wish to remove from that role.

### Scroll down and Save.

user.studentnumber.visible
user.upd.any
user.upd.own
user.upd.own.email
user.upd.own.name
user.upd.own.passwd
user.upd.own.type
user.view.any
usermembership.view
Continue Editing
Done
Complete the Realm Edit
SAVE Cancel


After you have made all of your permission selections, scroll down to the bottom of the page and click **Save**.

Tip: If you need to edit additional roles within this realm, select the Done button instead to return to the realm detail page and edit other roles before saving your changes to the realm.

# How do I create a new, or custom role within a Realm?


When adding a new role to a realm, it is often easiest to copy an existing role that is similar to the one you want to create, and then add or remove the permissions as required.

### Go to Realms.



Select the **Realms** tool from the Tool Menu of the Administration Workspace.


### Search and locate the site you want to edit.




Tip: You can locate the site id of a course or project site by using the admin Sites tool to search for the site and view/edit its details, or by accessing the site and copying the site id from the URL displayed in your web browser. The site id is the string of characters displayed just after the /site/ portion of the URL.

For example, in the following URL, the site id is shown in bold: http://qa3-us.sakaiproject.org:8086/portal/site/**DAC-EDUCATION-DEPT1-SUBJ1-101** 

### Click on the realm id.




## Click on the role id for the role you want to modify.




## Click Copy Role.




### Enter a role id for the new role and Save.



### Click on the role id for the new role.



## Select the desired permissions.



You will see a long list of permissions. This list represents all of the different permissions available to users in the system.

Check the box next to the permissions you want that role to have, and deselect any permissions that you wish to remove from that role.

### Scroll down and Save.

user.studentnumber.visible
user.upd.any
user.upd.own
user.upd.own.email
user.upd.own.name
user.upd.own.passwd
user.upd.own.type
user.view.any
usermembership.view
Continue Editing
Done
Complete the Realm Edit

Cancel

**SAVE** 

After you have made all of your permission selections, scroll down to the bottom of the page and click **Save**.

Tip: If you need to edit additional roles within this realm, select the Done button instead to return to the realm detail page and edit other roles before saving your changes to the realm.

## What do the various realms in Sakai do?

Below is a listing of various realms in Sakai. This list is not an exhaustive one, since system administrators may edit existing realms or add new custom realms.

### **Group template realm**

The Site Group feature introduced in Sakai 2.1 introduced group templates !group.template and !group.template.course. In order for Site Groups to work properly, these templates must have the same roles defined as those in the corresponding site templates !site.template and !site.template.course. So for Sakai OOTB, !group.template has the roles maintain and access, and !site.template.course has the roles Instructor, Student, and Teaching Assistant.

## The !site.helper realm

Editing a template realm affects all future sites. Editing a site's realm affects the site only. It is sometimes desirable to add a permission to all existing sites. For example, a new tool is added with its set of permissions. It would be nice to add the new tool's default permission settings to roles in all sites so that if an existing site wanted to add the new tool, permissions would be setup properly for the various roles. The !site.helper realm provides such a capability. The !site.helper realm can be used to assign permissions for a particular role in all sites.

### Other realms and realm templates

A few other realms are delivered with Sakai out of the box. These have special uses as follows.

**!group.template** - Used to specify group related permissions for tools that are group aware for sites which do not have a corresponding !group.template.<sitetype> realm.

**!group.template.course** - Used to specify group related permissions for tools that are group aware for course sites (sites with a type value of 'course')

**!pubview** - Gives permissions to non-authenticated users who are viewing public content in a site. Public content includes Announcements, Resources, Syllabus items that have been specified as being public when they were created (or subsequently edited). Public content for a site can be viewed from the Site Browser tool on the Gateway page, before a user logs in. !pubview typically has read only permissions set so that unauthenticated users can see the public content but not add/change site content.

**!site.helper** - Can be used to grant permission to all sites, as a way of retroactively granting permissions when a new permission is added to the system.

**!site.template** - Realm template used for sites that do not have any type, or for which a corresponding !site.template.<sitetype> does not exist.

!site.template.course - Realm template for sites of type 'course'.

!site.template.myworkspace - Not used.

**!site.user** - Provides permissions to the user in their My Workspaces. When a user first logs in, their My Workspace inherits this realm by default.

**!user.template -** User templates are a way of granting certain permissions to users within the scope of their My Workspace based on their account type. Currently, these templates are used to grant the ability to create new sites or not via the site.new permission. If the user template has site.new checked, then the 'New' action appears in the user's Worksite Setup tool in their My Workspace. If the site.new permission is not checked, then the user cannot create new worksites since the New action will be missing from their Worksite Setup toolbar.

**!user.template** - Used for user account with no type, or accounts which have a type but for which there isn't a corresponding !user.template.<accounttype> realm.

!user.template.guest - Used for user accounts of type 'guest'.

!user.template.maintain - Used for user accounts of type 'maintain'

!user.template.registered - Used for user accounts of type 'registered'

!user.template.sample - Used for user accounts of type 'sample'

# Resources

# What Resources are specific to admin users?


The Resources tool within the Administration Workspace functions the same way as the Resources tool in other sites. However, within the Administration Workspace, Resources also provides access to files and directories in the system that non-admin users do not see.

### Go to Resources.

Select **Resources** from the Tool Menu in the Administration Workspace.



### View available directories.



Admin users may browse any of the following folders to view files on the system:

- 1. The **attachment** directory contains files uploaded within individual sites as part of a message attachment, a quiz, etc.
- 2. The **group** directory contains files uploaded to the Resources tool within individual sites. Sub-directories within this folder are named with the title of the site.
- 3. The **group-user** directory contains all of the folders and files associate with the Drop Box tool in individual sites.
- 4. The **private** directory contains files uploaded to the Profile tool (i.e. users' Photo Gallery or Profile Images).
- 5. The **public** directory contains files which can be viewed by all users in the system. Admin users should place files in this location if they wish to share them with all users in the system for example, images to be used in Message of the Day notifications.
- 6. The **user** directory contains files uploaded to individual users' Home areas.

# Search


## **Search Administration**

Note: To complete the procedures in this document, you need to be assigned a role that has the necessary permissions.

Admin users are allowed to administer all aspects of the search engine. These users are allowed access to the administration page of the Search Tool. This page gives these users access to parts of the Search Engine which is used by the Search Tool.

The Administration page shows information about the indexing worker threads in the server cluster, and their state. It also shows information concerning the current index queue.

### Go to Search.



Select the **Search** tool from the Tool Menu of your site.

Note: You must be logged in as an admin user to access the admin Search options.

### Click Admin.



## Site Functions (Rebuild Site Index, Refresh Site Index)



Site administrators or maintainers are allowed to issues refresh and rebuild commands against the site which they maintain.

- **Rebuild Site Index** deletes the index for the current site only, and requests that all tools in the site resubmit all content to the search engine for re-indexing. If you have a large site, this operation may take some time.
- Refresh Site Index takes all the content in the current site only and refreshes the index for that site. While this command is being enacted upon by the indexer threads, the search index will still contain all of the site content.

### **Index Functions**



The index queue is a queue of indexing commands that are enacted upon by search indexer threads. These commands take 3 forms.

- 1. Global commands that control the whole search engine.
- 2. Site wide commands that control the search engine in the context of the current site.
- 3. Document commands that inform the search engine of items to be added or removed from the index.


### **Global Commands (Rebuild Whole Index, Refresh Whole Index)**

Only instance administrators are allowed to perform Global operations.

Rebuild Whole Index deletes the entire index, and requests that all tools in the system
resubmit all content to the search engine for re-indexing. This operation should only be
performed with caution, since a large site may take several hours to complete this
operation.

• **Refresh Whole Index** is only sightly more drastic as it takes all the content known to the search engine, and refreshed the index. While this command is being enacted upon by the indexer threads, the search index will still contain all of the content.

### View Search administration information.



- 1. The first block of information informs you when the index was last loaded by the Index Searcher on the cluster node you are connected to. It also informs you of current index activity, which may be none if no indexing is being performed, or a indexer thread id and an expected time of completion if there is an index operation in progress. The final information item in this block is the state of the index and the index queue.
- 2. **Master Control Records** informs you of the state of any global commands in the index queue.
- 3. **Site Control Records** informs you of the state of any work site control records in the index queue. This will include commands from sites other than the ones that you maintain.
- 4. **Index Workers** provides a list of all indexer threads in the Sakai cluster. In this list is the ID of the thread, the last time a heartbeat was received, and the current state of the thread, either idle or running. If the thread its ID will be present in the first information block with an estimated time of completion.
- 5. Finally there is a block of information about the search index segments that are used by the search engine to store its state.

# **Site Archive**

## What is the Site Archive tool?

The Site Archive tool allows admin users to "back up" or archive sites within the system, as well as import sites from existing archives. The archives created via Site Archive may be kept for institutional records, or used for transferring a site from one Sakai instance to another.

Note: The archive file contains all site content, but does NOT contain user data such as student activity, messages, assignment submissions, forum posts, etc.

## To access this tool, go to Site Archive from the Tool Menu in the Administration Workspace.



# How do I export/archive an individual site?

Exporting or archiving a site will create folder containing archive files which can be used for offline data retention or for transfer to another instance of Sakai. By default, site archives are placed on the file server in the following location: \$CATALINA\_HOME/sakai/archive/


Note: Exporting/archiving a site copies all of the site content into an archive file, but does NOT copy user data.

### Go to Site Archive.




Select the **Site Archive** tool from Tool Menu in the Administration Workspace.

### In the Export from site field, enter the site id.




## Check the Zip box to create a zipped archive file for download.



## Click Archive.



## Archive progress will be displayed.



# How do I batch export or archive multiple sites?

### Go to Site Archive.



Select the **Site Archive** tool from Tool Menu in the Administration Workspace.

## Click Batch Import/Export.




## Select a term from the drop-down menu.




The term drop-down menu will be populated with the existing terms in your instance of Sakai. Click on the term you wish to archive to select it.

## Click Archive.




## Confirm the list of sites to be archived.



You will see a list of all sites from the selected term. If this list is correct, click **Archive these** sites to create the site archives.

## You will see a progress indicator as site archives are created.



Note: Depending on the number and size of the sites you have selected for archiving, this process may take a while.

## How do I download archive files?

#### Go to Site Archive.




Select the **Site Archive** tool from Tool Menu in the Administration Workspace.

### **Click Download Archives.**



## Click on the site archive you want to download.



Note: Site archives must be downloaded individually.

## How do I import an individual site archive?

A site archive may be imported via the Site Archive tool in the Administration Workspace, or into an existing site via Worksite Setup.

## Preparing an archive to be restored.


Unzip/uncompress the archive (depending on archive format) to a directory in \$CATALINA\_HOME/sakai/archive. This depends upon access to the server upon which Sakai is running. The "sakai" directory is the same directory that contains the properties file(s), typically saka.properties or local .properties. "archive" is a subdirectory you need to create within the sakai directory.

## Importing an archive via Site Archive.



Select the **Site Archive** tool from the Tool Menu in the Administration Workspace.

## **Enter the import information and Import.**




- 1. Enter the top level directory name for the archive directory on the server. The location of the directory is mentioned above in "Preparing an archive to be restored". The typical pattern for the directory name is **siteid-archive**. Please use whatever the actual directory name is.
- 2. Enter the site id for the destination site where the archive content will be copied. If the destination site id does not exist, a new site with the specified id will be created.
- 3. Click **Import**.


## Importing an archive via Worksite Setup

Select the **Worksite Setup** tool from the Tool Menu in either the Administration Workspace or My Workspace.

#### Click New.



#### Select Create site from archive.



## Follow the series of prompts to create a new site.

After the last step in the site creation process, you will have the opportunity to upload an archive.

## Click Choose File to browse for and select the archive file.

# How do I batch import multiple site archives?

### Go to Site Archive




Select the **Site Archive** tool from the Tool Menu in the Administration Workspace.


## Select Batch Import/Export.




## Click Choose File to locate your batch import file.



## Once you have selected the batch import file, click Import.



## Import file format.




Your import file should list the target site id followed by a comma and then the archive id in the siteid-archive format, one archive per line.

## **Sites**

## What is the Sites tool?


The Sites tool allows admin users to create, modify, delete, and search for course, project, and workspace sites.

# To access this tool, select Sites from the Tool Menu in the Administration Workspace.



# How do I search for a site using the Sites tool?

#### Go to the Sites tool.




Select the **Sites** tool from the Tool Menu of the Administration Workspace.

## Enter your search criteria.



You may search for sites by keyword, site id, or user id (for workspace sites). Once you have entered your criteria, click on the appropriate **Search**, **Site ID**, or **User ID** button to view matching results.

## View search results.



All sites matching your criteria will be displayed in a list.

## How do I add a site using the Sites tool?

Note: While it is possible to create new sites from the Sites tool, it is not the preferred way of manually creating sites because it does not automatically add tools to the site. The preferred method for manually adding new sites is using the Worksite Setup tool.

#### Go to Sites.



Select the **Sites** tool from the Tool Menu of the Administration Workspace.

## Click New Site.



## Enter the site information and Save.



Enter the following information for your new site:

- 1. **Site Id**: Enter a site id for the new site. This id must be unique and should not contain spaces or special characters. (Hyphens and underscores are acceptable.)
- 2. **Title**: Enter a title for the site. The title is what users will see in the courses tabs and when the site is listed in Worksite Setup.
- 3. **Site URL Alias**: (Optional) You may enter a site alias if you choose. This alias is typically a friendlier name for the site which can be more easily typed or distributed as a site URL.
- 4. **Type**: Enter either **course** or **project** in this field to indicate the type of site you are creating. If you leave this field blank, it will default to a project site.
- 5. **Short Description**: (Optional) Enter a short description for the site.
- 6. **Description**: (Optional) Enter a longer description for the site. You may use the Rich Text Editor here to format the text of the description and/or add images or links. This description is what users will see when they first enter the course on the home page of the site. It is also visible when users search the server for sites to join.
- 7. **Published**: Select either **published** or **unpublished** to indicate the status of the site.
- 8. **Softly Deleted**: Select **yes** or **no** to indicate whether or not this site has been softly deleted.
- 9. **Joinable**: Select **yes** or **no** to indicate if this site is joinable.
- Role to assign to joiners: (Optional) If your site is joinable, you may assign a role for joiners (e.g. student).
- 11. **Worksite Icon URL**: (Optional) If you enter the URL for an image file, this image will be displayed within the site, just above the Tool Menu. Note that this image should be publicly available, so that all users accessing the site will have permission to view the image.

- 12. **Worksite Info URL**: (Optional) If you enter a URL for a web page, this page will be displayed in the site instead of the Description information entered above. (This URL may also be modified within the site by editing the Site Information Display.)
- 13. **Skin**: (Optional) If you would like to apply a specific color scheme to this site that is different from the default skin or theme, enter the name of the skin here. (Skins must already be configured on the server in order to use this option.) If you leave this field blank, the default skin for your instance will be applied to the site.
- 14. **Public View**: Select **yes** or **no** to indicate if this site is viewable to the public without a login.
- 15. **Custom Page Order**: Select **yes** or **no** to indicate if this site has a custom page order for Tool Menu items.
- 16. **Properties**: Click on the **Properties** button to configure site properties, such as the academic term.
- 17. **Pages**: Click on the **Pages** button to select pages or course tools that you would like to add to the site.
- 18. **Groups**: Click on the **Groups** button to create or edit groups for this site.
- 19. **Save**: Click **Save** when you have finished entering information to create the new site.

## How do I edit a site using the Sites tool?


Once a site has been created, you can edit any of the site information with the exception of the site id. The site id cannot be changed via the Sites tool once the site has been created.

### Go to Sites.



Select the **Sites** tool from the Tool Menu of the Administration Workspace.

## Locate the site you want to edit.



Use the Search function to find the site you want to modify.

## Click on the site id of the site.



#### Edit the site information and Save.



You may edit any of the following information for the existing site.

- 1. **Title**: Edit the title for the site. The title is what users will see in the courses tabs and when the site is listed in Worksite Setup.
- 2. **Site URL Alias**: You may enter or edit a site alias if you choose. This alias is typically a friendlier name for the site which can be more easily typed or distributed as a site URL.
- Type: You may edit course or project in this field to indicate the type of site. However, please note that changing the type of site after it has been created will not change the default roles for site participants.
- 4. **Short Description**: Enter or edit a short description for the site.
- 5. **Description**: Enter or edit a longer description for the site. You may use the Rich Text Editor here to format the text of the description and/or add images or links. This description is

- what users will see when they first enter the course on the home page of the site. It is also visible when users search the server for sites to join.
- 6. **Published**: Select either **published** or **unpublished** to indicate the status of the site.
- 7. **Softly Deleted**: Select **yes** or **no** to indicate whether or not this site has been softly deleted.
- 8. **Joinable**: Select **yes** or **no** to indicate if this site is joinable.
- 9. **Role to assign to joiners**: If your site is joinable, you may assign a role for joiners (e.g. student).
- 10. **Worksite Icon URL**: If you enter the URL for an image file, this image will be displayed within the site, just above the Tool Menu. Note that this image should be publicly available, so that all users accessing the site will have permission to view the image.
- 11. **Worksite Info URL**: If you enter a URL for a web page, this page will be displayed in the site instead of the Description information entered above. (This URL may also be modified within the site by editing the Site Information Display.)
- 12. **Skin**: If you would like to apply a specific color scheme to this site that is different from the default skin or theme, enter the name of the skin here. (Skins must already be configured on the server in order to use this option.) If you leave this field blank, the default skin for your instance will be applied to the site.
- 13. **Public View**: Select **yes** or **no** to indicate if this site is viewable to the public without a login.
- 14. **Custom Page Order**: Select **yes** or **no** to indicate if this site has a custom page order for Tool Menu items.
- 15. **Properties**: Click on the **Properties** button to configure site properties, such as the academic term.
- 16. **Pages**: Click on the **Pages** button to select pages or course tools that you would like to add to the site.
- 17. **Groups**: Click on the **Groups** button to create or edit groups for this site.
- 18. **Save**: Click **Save** when you have finished entering information to create the new site.

# How do I Soft Delete a site from the Sites tool?


Soft Delete is the default deletion method, and can be done from either the Sites tool in the Administration Workspace, or the <u>Worksite Setup tool</u> for users with deletion permissions.

## Go to Sites.



Select the **Sites** tool from the Tool Menu in the Administration Workspace.


## Locate the site you want to soft delete.




Find the site you want to delete be performing a search. For example:

- 1. Enter a search term, such as the site title.
- 2. Click Search.
- 3. Click on the site id in the search results to go to the detail page for that site.

## Select the Yes radio button next to Softly Deleted.



## Scroll down and click Save.



## How do I add a stealthed tool to a site?


Stealthed tools are tools which are available in your instance, but are hidden from non-admin users when they select which tools they want to use in a site. In order to add a stealthed tool to a site, the admin user needs to manually add the stealthed tool via the Sites tool.

### Go to Sites.



Select the **Sites** tool from the Tool Menu of the Administration Workspace.

## Locate the site where you would like to add the stealthed tool.




Use the Search function to find the site you want to modify.

## Click on the site id of the site.




## Click Add/Edit Pages.




Scroll down toward the bottom of the site editing screen and select the **Add/Edit Pages** button.

## Click New Page.




You will see a listing of pages, or tools, currently active in the Tool Menu of the site. Click **New Page** to add another tool to this list.

## **Enter a Title.**



Enter a **title** for the stealthed tool. The title you enter here is what will appear in the Tool Menu of the site once it has been added. You may also select the radio button for **yes** or **no** to indicate whether this is a custom title, or the default tool title.


#### Click Tools.



## **Click New Tool.**




## Select the stealthed tool to be added.



You will see a long list of all the tools available in the system. Locate the one you want to add in the list and click the radio button to select it.

## Scroll down to the bottom of the page and Save.




## **Sitestats Admin**

## What is Sitestats Admin?


The Sitestats Admin tool allows admin users to access the Statistics reports for any site in the system without having to enter the site itself. Sitestats Admin also allows admins to display server-wide reports and to save custom reports which are available for instructors within all sites in the Statistics tool.

# To access this tool, go to Sitestats Admin in the Tool Menu of the Administration Workspace.




## How do I view reports for a specific site?

## Go to Sitestats Admin.



Select the **Sitestats Admin** tool from the Tool Menu in the Administration Workspace.


## Locate the site you want to view.




Enter a search term and click **Search** to locate the site you want to view.

All sites matching your criteria will be displayed.

## Click on the title of the site.




## The site's Statistics will display.



From this view, you may run any reports within the site the same way an instructor/maintain user would run reports within an individual site. See What is the Statistics tool? for more information on how to run reports.

# How do I create predefined reports available throughout the system?

#### Go to Sitestats Admin.



Select the **Sitestats Admin** tool from the Tool Menu in the Administration Workspace.


## **Click Admin Reports.**



## Under Reports, click Add.



## Enter the report information.




Set up your report by entering the following information:

- 1. Enter a **Title** and **Description** for your report.
- 2. Choose **What** to report on. This option allows to configure the type of activity to report. You can choose to report on Visits, Events, or Resources.
- 3. Choose **When** to report on. This option allows to configure the time period to report.
- 4. Choose **Who** to report on. This option allows to configure the users to report.
- 5. Choose **How** to display the report. This option allows to configure how the report will be presented. Totals by: Defines how to group report data (eg, selecting "User" + "Date" will present a report grouped by user and date). Multiple fields can be selected pressing the CTRL (for disjoint selection) or ALT (for range selection) keys while clicking with the mouse.
- 6. Click Save Report.

This report will now appear within the Statistics tool for all sites on the system. Individual users may run it within their own sites if they choose.

# How do I view server-wide reports?

#### Go to Sitestats Admin.



Select the **Sitestats Admin** tool from the Tool Menu in the Administration Workspace.

# **Click Server-wide Reports.**



# Select the type of report you want to view.



Note: The values are the sum of values in a month,  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) =\frac{1$ 

Choose the type of report by clicking one of the links provided and your selected report will display.

You may choose to view:

- Monthly Report
- Weekly Report
- Daily Report
- Regular Users
- Hourly Usage
- Top 20 Activities
- Tool Analysis

# **Users**

# What is the Users tool?


The Users tool allows administrators to manually create new user accounts in Sakai, search for existing user accounts in the system, and view or update user account information, such as user id, name, email, user type, and password.

# To access this tool, select Users from the Administration Workspace Tool Menu.



# How do I add a new account?

#### Go to Users.




Select the **Users** tool from the Tool Menu in the Administration Workspace.

#### Click New User.



#### Enter the user information and then save.



Enter the following user information:

- User Id (required)
- First Name
- Last Name
- Email
- · Create New Password
- Verify New Password
- Type

Once all of the information has been entered, click **Save Details** to save the information and add the account.

Note: User Ids must be unique. If you attempt to add a new user that has the same user id as an existing user, you will receive an error.

# How do I create multiple new user accounts by importing a file?

#### Go to Users.




Select the **Users** tool from the Tool Menu in the Administration Workspace.

# Click Import from file.



## Click Import a file.




Click the **Import a file** button to browse for an select a properly formatted CSV file containing the user account information for the users you would like to create.

Please note the following file requirements when preparing your CSV file.

Include the following headings: user id, first name, last name, email, password, type.


- Column headings must match EXACTLY the list above. They do not need to be in the same order.
- Fields must be comma separated, contain no spaces between fields and each field surrounded with double quotes if it is to contain a space.
- You can also add other columns and these will be stored as user properties, as long as the headings do not clash with the main set above. It can be any arbitrary data.

## Upload your file.



If the import file has not been previously uploaded to Resources, click **Add** and then **Upload Files** to upload a new item.

## Locate the file to upload, then click Continue.



You may drag and drop your file or click in the drag and drop area to browse for the file to be uploaded. Click **Continue** to upload the file.

# Select the import file.

# Add Attachment Select an existing item from Resources to attach OR add a new item to a folder to be attached. Location: Administration Workspace Resources Actions Administration Workspace Resources Add Add Add Select Show other sites

Click the **Select** link for the file containing the user information you wish to import.

#### Click Continue.

#### Add Attachment

Select an existing item from Resources to attach OR add a new item to a folder to be attached. Click "Continue" when done.

 Items to attach
 Remove?

 ☐ demo-accounts.csv
 Remove



#### Location: Administration Workspace Resources

√¹ <u>Title</u> ✓	Actions	
► Administration Workspace Resources		
☐ demo-accounts.csv		
▶ Show other sites		

#### Preview and confirm the user information.

#### Import from file

Select a CSV file containing the details of the you users you wish to create

#### File requirements

- Include the following headings: user id,first name,last name,email,password,type.
- Column headings must match EXACTLY the list above. They do not need to be in the same order.
- Fields must be comma separated, contain no spaces between fields and each field surrounded with double quotes if it is to contain a space
- You can also add other columns and these will be stored as user properties, as long as the headings do not clash with the main set above. It
  can be any arbitrary data.

The following data was found in the uploaded file. If this is correct, click 'Continue'.

Note that any users that already exist will be skipped and their original records left untouched User Id First Name Last Name Password Properties Туре student01 Student01 Demo registered Student02 student02 Demo registered student03 Student03 Student04 student04 Demo nakos registered student05 Student05 registered student06 Student06 Demo registered Student07 registered student08 Student08 Demo registered Student09 registered student10 Student10 Demo registered demoinstructor



The information for each new user will be displayed. If everything looks correct, click <b>Continue</b> to proceed and add the accounts.


# How do I search for a user account?

#### Go to Users.




Select the **Users** tool from the Tool Menu in the Administration Workspace.


#### Enter a search term.



Enter a search term to locate the account you are looking for. You may search by a full or partial string of characters which appears in the user id, name, or email fields of a user's account.



# Search results will display.




All internal accounts meeting the search criteria will be displayed.

Note: Users defined by an external user authority (e.g. LDAP, etc.) are not listed here.

# Click on an individual user id to view that user's details.

#### Account Details




# How do I edit a user account?

#### Go to Users.



Select the **Users** tool from the Tool Menu in the Administration Workspace.


#### Enter a search term.



Enter a search term to locate the account you are looking for. You may search by a full or partial string of characters which appears in the user id, name, or email fields of a user's account.




# Search results will display.



All internal accounts meeting the search criteria will be displayed.

Note: Users defined by an external user authority (e.g. LDAP, etc.) are not listed here.

## Click on an individual user id to edit that user's details.



From this screen, you may edit or update any of the following fields:

- User Id
- First Name
- Last Name
- Email
- · Create New Password
- · Verify Password
- Type

Note: To keep the existing password, leave both password fields blank.

When you are finished editing, click **Update Details** to save the changes.

# How do I disable a user account?

Disabling a user account blocks that user from being able to access the system. However, the user's data and activity are still retained in the system.

Note: Disabling an account is often preferable to removing a user account, as removing an account deletes all the user data for that user, including any grades, resources, and other user-related files or activity.

#### Go to Users.



Select the **Users** tool from the Tool Menu in the Administration Workspace.


#### Enter a search term.



Enter a search term to locate the account you are looking for. You may search by a full or partial string of characters which appears in the user id, name, or email fields of a user's account.




# Search results will display.



All internal accounts meeting the search criteria will be displayed.

Note: Users defined by an external user authority (e.g. LDAP, etc.) are not listed here.

## Click on an individual user id to edit that user's details.



Check the box next to **Disable**, then click **Update Details** to save the change.

# How do I remove a user account?

Removing an account deletes all the user data for that user, including any grades, resources, and other user-related files or activity. This option should be used with caution, as it will delete all information associated with the account!

Note: You may want to disable the user instead. Disabling a user account blocks that user from being able to access the system. However, the user's data and activity are still retained in the system.

#### Go to Users.



Select the **Users** tool from the Tool Menu in the Administration Workspace.


#### Enter a search term.



Enter a search term to locate the account you are looking for. You may search by a full or partial string of characters which appears in the user id, name, or email fields of a user's account.




# Search results will display.




All internal accounts meeting the search criteria will be displayed.

Note: Users defined by an external user authority (e.g. LDAP, etc.) are not listed here.


# Click on an individual user id to view that user's details.



#### Click Remove User.



## Click Remove to confirm deletion.



You will be prompted to confirm the removal of the user account. If you are sure you want to delete the user, click **Remove**.

# **User Membership**


# What is User Membership?

The User Membership tool allows you to find site and group membership information about Sakai users.

By default, this tool is only available to administrators. However, tool access may be granted to other users if desired.


The User Membership tool is available by default in the Administration Workspace. If you would like to add it to other sites, you must do so manually using the Sites tool in the Administration Workspace.

# To access this tool, select User Membership from the Tool Menu in the Administration Workspace.



# How do I search for an account in User Membership?

## Go to User Membership.



Select the **User Membership** tool from the Tool Menu in the Administration Workspace.

#### Enter a search term.




Enter a search term into the field provided. You may search for a full or partial name, user ID, or email address.

Note: If desired, you may also filter your search using the User Type or User Authority drop-down menus.




#### View search results.




All matching users will be displayed in the search results.

# Click on a User ID to see site and group membership for that user.



# View the selected user's membership.




This detail view will display all of the sites in which the user is enrolled. The type, term, and published/unpublished site status are shown, as well as the user's role and status within each site.

Note: Clicking on the title of a site will take you into that site.


# How do I filter search results in User Membership?

## Go to User Membership.



Select the **User Membership** tool from the Tool Menu in the Administration Workspace.

#### Enter a search term.




Enter a search term into the field provided. You may search for a full or partial name, user id, or email address.

# Filter search by User Type.

You may filter your search to show only a specified user type if desired.


## Select the User Type from the drop-down menu.



From the User Type drop-down menu, select the type of user for which you would like to limit the search results. The list displayed in the drop-down menu will include any user types that currently exist in your instance. In this example, we have selected "maintain" as the user type.



#### View search results.




The filtered search results will display. In this example the results show all users matching the search criteria with the user type of faculty.


# Filter search by User Authority.

The User Authority filter allows you to filter your search to show only internal or external accounts. Internal accounts are created and authenticated directly in Sakai. External account are created and authenticated via an external system such as LDAP, Active Directory, etc.


## Select the User Authority from the drop-down menu.



From the User Authority drop-down menu, select the type of account for which you would like to limit the search results, either Internal or External. In this example, we will select Internal.




#### View search results.



The filtered search results will display. In this example the results show all users matching the search criteria with an internally authenticated account.

# How do I export search results from User Membership?

# Go to User Membership.




Select the **User Membership** tool from the Tool Menu in the Administration Workspace.

# Exporting a list of users matching your search criteria.

#### Perform a search.

See <u>How do I search for an account in User Membership?</u> for more information on searching.

#### Click Export CSV or Export Excel.




Scroll down to the bottom of the search results and click **Export CSV** or **Export Excel** to download a copy of the results in your preferred file format.

# Exporting site and group membership for an individual user.


#### Perform a search.

See How do I search for an account in User Membership? for more information on searching.


### Click on the User ID to for the user in question.



### Click Actions to expand the action menu.




## Select the sites to be included, and then export.



1. This detail view displays all of the sites in which the user is enrolled. The type, term, and published/unpublished site status are shown, as well as the user's role and status within							
	each site. Select the sites you wish to include in the export.						
2.	Select the <b>Export Selected to CSV</b> or <b>Export to Excel link</b> to export the data in your desired format.						

# How do I make a user inactive in multiple sites?

# Go to User Membership.



Select the **User Membership** tool from the Tool Menu in the Administration Workspace.


#### Enter a search term.




Enter a search term into the field provided. You may search for a full or partial name, user ID, or email address.

Note: If desired, you may also filter your search using the User Type or User Authority drop-down menus.

#### Click Search.




#### View search results.



All matching users will be displayed in the search results.

# Click on a User ID to see site and group membership for that user.



#### Click Actions.

#### Membership (student0101)

Site and group membership for the selected user.




▶ Actions

This detail view will display all of the sites in which the user is enrolled. The type, term, and published/unpublished site status are shown, as well as the user's role and status within each site.


Note: Clicking on the title of a site will take you into that site.

## Select some or all of the user's enrolled sites.




You may select all or some of the user's sites by using the **Select All** link in the Actions menu, or by checking the boxes next to the sites in which you want to make the user inactive.

#### Click Set Selected to Inactive in the Actions menu.



#### View user's current status.



Notice that the user's status is now "inactive" in the specified sites.										

# How do I make a user active in multiple sites?

## Go to User Membership.



Select the **User Membership** tool from the Tool Menu in the Administration Workspace.

#### Enter a search term.




Enter a search term into the field provided. You may search for a full or partial name, user ID, or email address.

Note: If desired, you may also filter your search using the User Type or User Authority drop-down menus.

#### Click Search.




#### View search results.



All matching users will be displayed in the search results.


# Click on a User ID to see site and group membership for that user.



#### Click Actions.

#### Membership (student0101)

Site and group membership for the selected user.




▶ Actions

This detail view will display all of the sites in which the user is enrolled. The type, term, and published/unpublished site status are shown, as well as the user's role and status within each site.


Note: Clicking on the title of a site will take you into that site.

### Select some or all of the user's enrolled sites.



You may select all or some of the user's sites by using the **Select All** link in the Actions menu, or by checking the boxes next to the sites in which you want to make the user inactive.

## Click Set Selected to Active in the Actions menu.



#### View user's current status.

#### Membership (student0101)

Site and group membership for the selected user.

▶ Act	Actions									
	<u>Site</u> ≞	Groups	<u>Type</u>	<u>Term</u>	Role	<u>Site status</u>	<u>User status</u>			
	Discussion 1 SMPL101	Lab2, Team-1	course	Spring 2020	Student	Published	Active			
	Discussion 4 SMPL101	Discussion 4 SMPL101	course	Spring 2020	Student	Published	Active			
	Discussion 4 SMPL101	Discussion 4 SMPL101	course	Summer 2020	Student	Published	Active			
	SMPL101 Spring 2020	SMPL101 Spring 2020	course	Spring 2020	Student	Published	Active			
	SMPL101 Spring 2020	SMPL101 Spring 2020, Students-1	course	Spring 2020	Student	Published	Active			
	SMPL101 Spring 2020	SMPL101 Spring 2020	course	Spring 2020	Student	Published	Active			
	SMPL101 Spring 2020	SMPL101 Spring 2020	course	Spring 2020	Student	Published	Active			
	SMPL101 Summer 2020	SMPL101 Summer 2020	course	Summer 2020	Student	Published	Active			

Actions

**BACK TO USER LIST** 

Notice that the user's status is now "active" in the specified sites.										

# **Worksite Setup**

# What is Worksite Setup?

The Worksite Setup tool provides information about the sites to which you currently belong or may join. If you have a role that allows it, you can use this tool to make changes to information about the site, tools available in the site, and access to the site. You can also publish the site using the Worksite Setup tool.

Many of the functions of the Worksite Setup tool mirror those of the <u>Site Info</u> tool; Worksite Setup is available through Home, whereas Site Info is available in each site.

If you don't have the appropriate permissions, you will only see the information about the site published by the site owner in Worksite Setup.

# To access this tool, click Worksite Setup from the Tool Menu in My Workspace.



# How does Worksite Setup differ for adminusers?

Unlike most users who only see sites in which they are currently enrolled when they go to WorkSite Setup, admin users will be able to view and search for all sites in the system via Worksite Setup. Admin users may also access any site in the system by clicking on the worksite title displayed in Worksite Setup.

Worksite Setup is the preferred tool for creating new sites manually. When creating a new site in Worksite Setup, users are guided through the process of selecting the site type, selecting the term and section. Also, the default set of tools in the site will automatically be enabled. While admin users may also create sites manually from the Sites tool, it is recommended that manual site creation be done via Worksite Setup.

In addition, admin users have access to the <u>Hard Delete</u> feature via Worksite Setup.

# How do I define the default set of tools added to site on site creation?

The default tool suite (i.e. the tools added to a site on creation) is specified in the file toolOrder.xml file (located in the .../apache-tomcatxxx/sakai folder). See the sample extract from the toolOrder.xml file for course sites below: <toolOrder><category name="course"> <tool id="sakai.iframe.site"/> <tool id="sakai.synoptic.chat"/> <tool id="sakai.synoptic.announcement"/> <tool id="home" selected="true"/> <tool id="sakai.announcements" selected="true"/> <tool id="sakai.schedule"/> <tool id="sakai.syllabus"/> <tool id="sakai.resources" selected="true"/> <tool id="sakai.lessonbuildertool" selected="true"/> <tool id="sakai.podcasts"/> <tool id="sakai.rwiki"/> <tool id="sakai.poll"/> <tool id="sakai.messagecenter"/> <tool id="sakai.forums"/> <tool id="sakai.messages"/> <tool id="sakai.discussion"/> <tool id="sakai.mailbox"/> <tool id="sakai.chat" selected="true"/> <tool id="sakai.dropbox"/>

```
<tool id="sakai.assignment.grades" selected="true"/>
<tool id="sakai.samigo"/>
<tool id="sakai.gradebookng" selected="true"/>
<tool id="sakai.postem"/>
<tool id="sakai.news"/>
<tool id="sakai.iframe"/>
<tool id="sakai.sections"/>
<tool id="sakai.sections"/>
<tool id="sakai.site.roster" selected="true"/>
<tool id="sakai.search" selected="true"/>
<tool id="sakai.siteinfo" selected="true" required="true"/>
</category><category name="project"></category><category name="project"></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></category></categ
```

The tools which include **selected="true"** will be selected by default when the person creating the site is on the **Site Info > Edit Tools > Course Site Tools** screen.

The tools which include **required="true"**, such as Site Info, are mandatory tools. The user will not be able to de-select them on the **Site Info > Edit Tools > Course Site Tools** screen.

If your instance of Sakai uses different site types (project, collaboration etc.), each site type can its own section in the toolOrder file.

# How are sites deleted?

When you delete a site in Sakai, there are two different types of deletion: Soft Delete and Hard Delete.

<u>Soft Delete</u> is the default deletion method, and can be done from either the Sites tool in the Administration Workspace, or the Worksite Setup tool for users with deletion permissions. Soft Delete removes the site but leaves site data intact in the database and file system. There is also job that administrative users may run in the Job Scheduler tool to purge any softly deleted sites in the system.

<u>Hard Delete</u> is an option for permanently removing both the site and all of its data from the system. This option can be done in the Worksite Setup tool for users with deletion permissions (typically admins only). Hard Delete is used when an institution wants to free up space on the server by completely removing old site files and data.

# How do I Soft Delete a site from Worksite Setup?


Soft Delete is the default deletion method, and can be done from either the Sites tool in the Administration Workspace, or the Worksite Setup tool for users with deletion permissions.

## Go to Worksite Setup.



Select the **Worksite Setup** tool from the Tool Menu in your site.


## Locate and select the site or sites you want to soft delete.



Find the site you want to delete by performing a search. For example:

- 1. Enter a search term, such as the site title.
- 2. Click Search.
- 3. Check the box next to the site or sites you would like to delete.


#### Click the Delete button.



Click the **Delete** button located at the top or the bottom of the screen.

Note: Make sure you do NOT click Hard Delete, as that option will permanently delete the site and all of its files and data.

#### Click Mark for deletion to confirm site removal.




# How do I restore a softly deleted site?

# Go to Worksite Setup.




Select the **Worksite Setup** tool from the Tool Menu.


## From the View drop-down menu, select Softly Deleted Sites.



# All sites marked for deletion will be displayed.




# Select the site you want to restore, then click Restore.



# How do I Hard Delete a site?


Hard deleting a site will completely remove the site and all of its files and data from the system. Typically, only admin users have permission to perform a hard delete.

# Go to Worksite Setup.



Select the **Worksite Setup** tool from the Tool Menu in the Administration Workspace or Home.


# Locate and select the site or sites you want to permanently delete.



Find the site or sites you want to delete be performing a search. For example:

- 1. Enter a search term, such as the site title.
- 2. Click Search.
- 3. Check the box next to the site or sites you would like to delete.


#### Click Hard Delete.



Click the Hard **Delete** button located at the top or the bottom of the screen.

Note: If you do not want to permanently delete the site and all of its files and data, you may choose the **Delete** button instead to perform a <u>soft delete</u>.

# Click Hard Delete again to confirm deletion.



Note: This action will purge the site and all of its data from the system. Once purged, the data is not recoverable.